			5-item craving scale					
7817			0	1	2	3	4	
	Female	Count	367	31	25	16	16	
		% within Gender	72.8%	6.2%	5.0%	3.2%	3.2%	
	Male	Count	380	26	10	8	7	
		% within Gender	77.9%	5.3%	2.0%	1.6%	1.4%	
Total		Count	747	57	35	24	23	
		% within Gender	75.3%	5.7%	3.5%	2.4%	2.3%	

Crosstab

. """				5-item craving scale						
			5	6	7	8	9			
Gender	Female	Count	9	5	6	7	3			
		% within Gender	1.8%	1.0%	1.2%	1.4%	.6%			
	Male	Count	9	6	7	4	7			
		% within Gender	1.8%	1.2%	1.4%	.8%	1.4%			
Total	35	Count	18	11	13	11	10			
		% within Gender	1.8%	1.1%	1.3%	1.1%	1.0%			

				5-i t	em craving sc	ale	2
		*	10	11	12	13	14
Gender	Female	Count	5	3	3	3	3
d .	9	% within Gender	1.0%	.6%	.6%	.6%	.6%
	Male	Count	2	4	2	5	. 3
		% within Gender	.4%	.8%	.4%	1.0%	.6%
Total		Count	7	7	5	8	6
		% within Gender	.7%	.7%	.5%	.8%	.6%

				5-item	withdrawal sca	ale	
			0	1	2	3	4
Gender	Female	Count	438	8	9	7	4
		% within Gender	86.9%	1.6%	1.8%	1.4%	.8%
	Male	Count	416	9	8	13	6
		% within Gender	84.7%	1.8%	1.6%	2.6%	1.2%
Total		Count	854	17	17	20	10
		% within Gender	85.8%	1.7%	1.7%	2.0%	1.0%

Crosstab

				5-iter	n withdrawal s	cale	
			5	6	7	8	9
Gender	Female	Count	9	4	6	3	, 7
		% within Gender	1.8%	.8%	1.2%	.6%	1.4%
	Male	Count	4	2	1	3	6
2005.500		% within Gender	.8%	.4%	.2%	.6%	1.2%
Total	-	Count	13	6	7	6	13
		% within Gender	1.3%	.6%	.7%	.6%	1.3%

·····		"		5-item	withdrawal sca	ale	
			10	11	12	13	14
Gender	Female	Count	2	0	1	1	4
		% within Gender	4%	.0%	.2%	.2%	.8%
	Male	Count	2	5	4	1	3
		% within Gender	.4%	1.0%	.8%	.2%	.6%_
Total		Count	4	5	5	2	7
		% within Gender	.4%	.5%	.5%	.2%	.7%_

	- " - " - " - " - " - " - " - " - " - "			5-item psychol	logical depend	lence scale	
			0	1	2	3	_ 4
Gender	Female	Count	426	19	13	7	8
		% within Gender	85.4%	3.8%	2.6%	1.4%	1.6%
	Male	Count	408	16	13	13	7
		% within Gender	83.1%	3.3%	2.6%	2.6%	1.4%
Total		Count	834	35	26	20	15
	17.2	% within Gender	84.2%	3.5%	2.6%	2.0%	1.5%

Crosstab

		• • • • • • • • • • • • • • • • • • • •		5-item psych	ological depen	dence scale	
			5	6	. 7	8	9
Gender	Female	Count	9	4	2	2	2
		% within Gender	1.8%	.8%	.4%	.4%	.4%
e e	Male	Count	. 5	3	3	6	3
		% within Gender	1,0%	.6%	.6%	1.2%	.6%
Total		Count	14	7	5	8	5
runnimentaria (1100)		% within Gender	1.4%	.7%	.5%	.8%	.5%

				5-item psycho	ological depen	dence scale	
		9*	10	11	12	13	14
Gender	Female	Count	1	2	3	1	0
		% within Gender	.2%	.4%	.6%	.2%	.0%
	Male	Count	0	3	4	. 1	1
		% within Gender	.0%	.6%	.8%	.2%	.2%
Total		Count	. 1	5	7	2	1
		% within Gender	.1%	.5%	.7%	.2%_	.1%

			15-item Autonomy scale						
10000			0	1	2	3	4		
Gender	Female	Count	363	23	23	12	7		
		% within Gender	73.5%	4.7%	4.7%	2.4%	1.4%		
	Male	Count	368	20	10	6	6		
		% within Gender	76.5%	4.2%	2.1%	1.2%	1.2%		
Total		Count	731	43	33	18	13		
		% within Gender	75.0%	4.4%	3.4%	1.8%	1.3%		

Crosstab

		"		15-item	Autonomy sc	ale	
			5	6	7	8	9
Gender	Female	Count	6	6	5	2	3
_		% within Gender	1.2%	1.2%	1.0%	.4%	.6%
	Male	Count	5	3	7	5	2
		% within Gender	1.0%	.6%	1.5%	1.0%	.4%
Total		Count	11	9	12	7	5
		% within Gender	1.1%	.9%	1.2%	.7%	.5%

Crosstab

				15-item	Autonomy se	cale	
			10	11	12	13	14
Gender	Female	Count	4	3	4	3	2
		% within Gender	.8%	.6%	.8%	.6%	4%
	Male	Count	4	1	3	3	2
		% within Gender	.8%	.2%	.6%	.6%	.4%_
Total	-	Count	8	4	7	6	4
		% within Gender	.8%	.4%	.7%	.6%	.4%

	-		15-item Autonomy scale					
			15	16	18	19	20	
Gender	Female	Count	2	0	1	2	3	
,		% within Gender	.4%	.0%	.2%	.4%	.6%	
	Male	Count	0	2	1	0	3	
		% within Gender	.0%	.4%	.2%	.0%	.6%	
Total		Count	2	2	2	2	6	
		% within Gender	.2%	.2%	.2%	.2%	.6%	

****			15-item Autonomy scale					
			21	22	23	24	25	
Gender	Female	Count	2	1	2	1	0	
		% within Gender	.4%	.2%	.4%	.2%	.0%	
	Male	Count	. 0	2	3	0	1	
		% within Gender	.0%	.4%	.6%	.0%	.2%	
Total		Count	2	3	5	. 1	1	
		% within Gender	.2%	.3%	.5%	.1%	.1%	

Crosstab

			15-item Autonomy scale					
			26	27	28	29	31	
Gender	Female	Count	1	2	4	0	1	
		% within Gender	.2%	.4%	.8%	.0%	.2%	
	Male	Count	3	0	2	2	2	
		% within Gender	.6%	.0%_	.4%	.4%	.4%	
Total	" -	Count	4	2	6	2	3	
		% within Gender	.4%	.2%	.6%	.2%	.3%	

Crosstab

			15-item Autonomy scale					
r			32	33	34	35	36	
Gender	Female	Count	2	0	0	1	0	
		% within Gender	.4%	.0%	.0%	.2%	.0%	
	Male	Count	2	1	1	0	1	
		% within Gender	.4%	.2%	.2%	.0%	.2%	
Total		Count	4	1	1	1	1	
		% within Gender	.4%	.1%	.1%	.1%	.1%	

			15-item Autonomy scale					
			39	40	41	42	44	
Gender	Female	Count	0	2	1	0	0	
		% within Gender	.0%	.4%	.2%	.0%	.0%	
	Male	Count	1	2	0	2	1	
		% within Gender	.2%	.4%	.0%	.4%	.2%	
Total		Count	1	. 4	1	2	1	
		% within Gender	.1%	.4%	.1%	.2%	.1%	

Gender * Binary Withdrawal Impatience

Crosstab

				Binary Withdrawal Impatience		
			Not endorsed	_Endorsed	Total	
Gender	Female	Count	449	60	509	
		% within Gender	88.2%	11.8%	100.0%	
	Male	Count	436	61	497	
		% within Gender	87.7%	12.3%	100.0%	
Total		Count	885	121	1006	
		% within Gender	88.0%	12.0%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.056 ^b	1	.813		
Continuity Correction ^a	.020	1	.889		
Likelihood Ratio	.056	1	.813		
Fisher's Exact Test	i			.847	.444
Linear-by-Linear Association	.056	1	.813	3.70.000	
N of Valid Cases	1006				

a. Computed only for a 2x2 table

Gender * Binary Withdrawal Interrupted Concentration

Crosstab

			Binary With Interrupted Cor		
	, <u>, , , , , , , , , , , , , , , , , , </u>		Not endorsed	Endorsed	Total
Gender	Female	Count	466	39	505
		% within Gender	92.3%	7.7%	100.0%
	Male	Count	441	55	496
		% within Gender	88.9%	11.1%	100.0%
Total		Count	907	94	1001
		% within Gender	90.6%	9.4%	100.0%

	Value	df .	Asymp, Sig, (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	3.332 ^b	1	.068		
Continuity Correctiona	2.948	1	.086		
Likelihood Ratio	3.345	1	.067		
Fisher's Exact Test				.083	.043
Linear-by-Linear Association	3.329	1	.068		
N of Valid Cases	1001				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 59.78.

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 46.58.

Gender * Binary Withdrawal Temper

Crosstab

		•	Binary Withdray	val Temper	
			Not endorsed	Endorsed	Total
Gender	Female	Count	462	44	506
	No. 2000	% within Gender	91.3%	8.7%	100.0%
	Male	Count	439	56	495
•		% within Gender	88.7%	11.3%	100.0%
Total		Count	901	100	1001
		% within Gender	90.0%	10.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.906 ^b	1	.167		
Continuity Corrections	1.626	1	.202		
Likelihood Ratio	1.910	1	.167		
Fisher's Exact Test				.172	.101
Linear-by-Linear Association	1.905	1	.168		
N of Valid Cases	1001				

a. Computed only for a 2x2 table

Gender * Binary Withdrawal Nervous/Anxious

			Binary With Nervous/A		
			Not endorsed	Endorsed	Total
Gender	Female	Count	465	42	507
	100 1010075-00 00000	% within Gender	91.7%	8.3%	100.0%
	Male	Count	451	43	494
		% within Gender	91.3%	8.7%	100.0%
Total		Count	916	85	1001
		% within Gender	91.5%	8.5%	100.0%

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 49,45.

Chi-Square Tests

	Value	df .	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.057 ^b	1	.811		
Continuity Corrections	.016	1	.900		
Likelihood Ratio	.057	1	.811		
Fisher's Exact Test				.822	.450
Linear-by-Linear Association	.057	1	.812		
N of Valid Cases	1001				

a. Computed only for a 2x2 table

Gender * Binary Rely to Focus

Crosstab

			Binary Rely t	to Focus	
			Not endorsed	Endorsed	Total
Gender	Female	Count	478	26	504
		% within Gender	94.8%	5.2%	100.0%
	Male	Count	465	32	497
		% within Gender	93.6%	6.4%	100.0%
Total		Count	943	58	1001
		% within Gender	94.2%	5.8%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig, (1-sided)
Pearson Chi-Square	.751 ^b	1	.386		
Continuity Correction®	.535	1	.465		
Likelihood Ratio	.752	1	.386		
Fisher's Exact Test				.419	.232
Linear-by-Linear Association	.750	1	.386	0300 1000	
N of Valid Cases	1001			2000	i

a. Computed only for a 2x2 table

Gender * Binary Rely When Bored

			Binary Rely W		
9			Not endorsed	Endorsed	Total
Gender	Female	Count	464	41	505
		% within Gender	91.9%	8.1%	100.0%
	Male	Count	437	57	494
<u></u>		% within Gender	88.5%	11.5%	100.0%
Total		Count	901	98	999
		% within Gender	90.2%	9.8%	100.0%

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 41.95.

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 28.80.

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	3.301 ^b	1	.069		4 3
Continuity Correctiona	2.925	1	.087		P
Likelihood Ratio	3.312	1	.069		
Fisher's Exact Test				.071	.043
Linear-by-Linear Association	3.297	1	.069		
N of Valid Cases	999				<u> </u>

a. Computed only for a 2x2 table

Gender * Binary Rely to Deal With Stress

Crosstab

			Binary Rely to Stres		
			Not endorsed	Endorsed	Total
Gender	Female	Count	442	65	507
47-4		% within Gender	87.2%	12.8%	100.0%
	Male	Count	437	59	496
<u> </u>		% within Gender	88.1%	11.9%	100.0%
Total		Count	879	124	1003
sa (5257778)		% within Gender	87.6%	12.4%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.1985	1	.656		
Continuity Correctiona	122	1	.727		
Likelihood Ratio	.198	1	.656		
Fisher's Exact Test				.701	.364
Linear-by-Linear Association	.198	1	.656		
N of Valid Cases	1003				

a. Computed only for a 2x2 table

Gender * Binary Would Go Crazy

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 48.46.

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 61.32.

			Binary Would		
20			Not endorsed	Endorsed	Total
Gender	Female	Count	468	39	507
		% within Gender	92.3%	7.7%	100.0%
	Male	Count	453	43	496
		% within Gender	91.3%	8.7%	100.0%
Total		Count	921	82	1003
		% within Gender	91.8%	8.2%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.319 ^b	1	.572		
Continuity Correctiona	.202	1	.653		
Likelihood Ratio	.319	. 1	.572		
Fisher's Exact Test				.645	. 327
Linear-by-Linear Association	.319	1	.573		
N of Valid Cases	1003				

a. Computed only for a 2x2 table

Gender * Binary Losing Friend

Crosstab

			Binary Losin	g Friend	
			Not endorsed	Endorsed	Total
Gender	Female	Count	485	20	505
		% within Gender	96.0%	4.0%	100.0%
	Male	Count	461	33	494
		% within Gender	93.3%	6.7%	100.0%
Total		Count	946	53	999
		% within Gender	94.7%	5.3%	100.0%

<u>~</u>					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	3.677 ^b	1	.055		•
Continuity Correction ^a	3.155	1	.076		
Likelihood Ratio	3.709	1	.054		
Fisher's Exact Test	i	150	35/36977/09 Jul	.066	.037
Linear-by-Linear Association	3.673	1	.055		
N of Valid Cases	999	20,000			72.000

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 40.55.

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 26.21.

Gender * Binary Crave When Stressed

Crosstab

·				Binary Crave When Stressed		
Ì			Not endorsed	Endorsed	Total	
Gender	Female	Count	404	102	506	
	r.	% within Gender	79.8%	20.2%	100.0%	
	Male	Count	413	81	494	
		% within Gender	83.6%	.16.4%	100.0%_	
Total		Count	817	183	1000	
		% within Gender	81.7%	18.3%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2.365 ^b	1	.124		e .
Continuity Correctiona	2.120	1	.145		
Likelihood Ratio	2.370	1	.124		
Fisher's Exact Test				.141	.073
Linear-by-Linear Association	2.363	1	.124		
N of Valid Cases	1000		2		

a. Computed only for a 2x2 table

Gender * Binary Crave When See

Crosstab

			Binary Crave \		
			Not endorsed	Endorsed	Total
Gender	Female	Count	393	113	506
		% within Gender	77.7%	22.3%	100.0%
	Male	Count	403	93	496
		% within Gender	81.3%	18.8%	100.0%
Total		Count	796	206	1002
		% within Gender	79.4%	20.6%	100.0%

	Value	df	Asymp, Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.968 ^b	1	.161		5.7
Continuity Correction ^a	1.755	1 :	.185		
Likelihood Ratio	1.971	1	.160		
Fisher's Exact Test				.184	.093
Linear-by-Linear Association	1.966	1	.161		
N of Valid Cases	1002				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 90.40.

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 101.97.

Gender * Binary Crave When Smell

Crosstab

		4.	Binary Crave V		
			Not endorsed	Endorsed	Total
Gender	Female	Count	422	86	508
	8	% within Gender	83.1%	16.9%	100.0%
ĺ	Male	Count	418	80	498
		% within Gender	83.9%	16.1%	100.0%
Total		Count	840	166	1006
		% within Gender	83.5%	16.5%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.137 ^b	1	.712		
Continuity Correction ^a	.081	1	.776		
Likelihood Ratio	.137	1	.712		
Fisher's Exact Test				.735	.388
Linear-by-Linear Association	.136	1	,712		
N of Valid Cases	1006				

a. Computed only for a 2x2 table

Gender * Binary Crave After Eating

Crosstab

			Binary Crave A	Binary Crave After Eating		
	E		Not endorsed	Endorsed	Total	
Gender	Female	Count	472	35	507	
1		% within Gender	93.1%	6.9%	100.0%	
1	Male	Count	445	51	496	
		% within Gender	89.7%	10.3%	100.0%	
Total		Count	917	86	1003	
		% within Gender	91.4%	8.6%	100.0%	

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	3.652 ^b	1	.056		
Continuity Corrections	3.233	1	.072		
Likelihood Ratio	3.669	1	.055		
Fisher's Exact Test				.071	.036
Linear-by-Linear Association	3.648	1	.056		
N of Valid Cases	1003	<u>.</u> <u>.</u>			

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 82.17.

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 42.53.

Gender * Binary Crave When Task Requires Thought

Crosstab

				Binary Crave When Task Requires Thought	
			Not endorsed	Endorsed	Total
Gender	Female	Count	476	31	507
1		% within Gender	93.9%	6.1%	100.0%
	Male	Count	459	34	493
		% within Gender	93.1%	6.9%	100.0%
Total		Count	935	65	1000
		% within Gender	93.5%	6.5%	100.0%

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.252 ^b	1	.616		
Continuity Corrections	.139	1	.709		,
Likelihood Ratio	.252	1	.616		
Fisher's Exact Test			Server MALAS	.701	.354
Linear-by-Linear Association	.251	1	.616		
N of Valid Cases	1000	-			

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 32.05.