
Stair Lifts

- Stair lift 1: Sidewalk level to Floor 0
 - Size: 85 cm x 100 cm
 - Capacity: 250kg (1 person)
- Stair lift 2: Floor 0 to Floor 1
 - Size: 85 cm x 100 cm
 - Capacity: 250 kg (1 person)
- Stair lift 3: Floor 5 to Upper Cinema
 - Size: 85 cm x 100 cm
 - Capacity: 250 kg (1 person)







- Straight and curved sections present
- Width of stairs: 170 cm
- Height of riser: 16 cm
- Depth of tread: 30 cm (uniform depth)
- Handrail height: 88 cm (both sides)
- Landings handrail height: 91.4 cm (only inside edge)
 - Worn out slip-resistant tape
 - No tactile warning at foot or head of stairs



Do you have any specific needs?

Contact Us





Inaccurate Information?
Email: organizer_email@email.com

Olympion Cinema

Accessibility Guide

accessibilityinfo.com

Emergency Cases

- 9 emergency exits
 - Including 1 accessible emergency exit
- Emergency exits at every floor
- Alarm can be easily activated by visitor
 - Emergency buttons 95 cm tall

No accessible emergency above floor 0

This guide is designed by a team of students to provide accessibility information for the general public.

General Information

Built: 1938 - **Renovated**: 1998 **Working hours**: 09:00-00:00

Entrance

- Main entrance located at front of building
 - 3 stair treads to enter vestibule
 - 4 stair treads to enter main floor
- Accessible entrance located north of main entrance
 - Automatic door present
 - Outward swinging
 - Control at front desk
 - Ramp **maximum** length: 323 cm
 - Ramp **minimum** width: 173 cm
 - Bottom landing: 173 cm x 140 cm (public sidewalk)

No handrails on ramp





- Floors: 6 3 floors for public use
- Elevators: 2
 - Clearance through elevator doors: 92 cm
 - Elevator cab size: 140 cm wide x 227 cm long
- Elevator button height: 100 cm tall
 - Button size: 2 cm x 2 cm
- Emergency phone (160 cm tall)
 - Elevators do not go to floor 0
 - No elevator signage
 - No brail or lighting on elevator buttons
 - No grab bars in elevator cabins



Horizontal Movement

- Corridor width average: 170 cm
- Corridor width **minimum:** 100 cm

Floors not slip-resistant



Doors

- Entrance door unlocked at all times during working hours
 - Fully protected from weather with an overhang
 - Manually operated
- Entrance door swings in **both** directions
 - o Door handle: 122 cmtall
- Clearance through entrance door: 138 cm
 - Requires significant force to open
 - Right side door is locked and blocked by trash cans



Accessible Bathroom

- 1 accessible restroom
 - Gender neutral
- **Clearance** through restroom door entrance: 63.5 cm
 - Manual outwards swinging door
 - o Pull handle: 109.2 cm tall
- Restroom hallway width: 100 cm
- Clearance through toilet cabin door: 100 cm
 - Manual outwards swinging door
- Toilet cabin space: 100 cm x 109 cm
- Space around toilet minimum: 28 cm
- Handrails present
- Toilet unit: 38 cm tall (floor mount)
- Flush tank manual control
- Basin **included** in toilet cabin
 - Free height underneath: 81 cm
- Soap dispenser: 89 cm tall (within reach from wheelchair)
- Mirror: 102 cm tall (inclined)
- Alarm cordon **present**
- Door of toilet cabin **can be** opened from outside during an emergency
- Flush tank requires significant force to operate
- No changing shelves
- No single toilet paper sheet dispenser



Parking

No spaces are provided

Emergency Cases

- 8 emergency exits
 - Including 1 accessible emergency exit
- Emergency exits at every floor
- Alarm can be easily activated by visitor
 - Emergency buttons 120 cm tall
 - No visible emergency exit plan
 - No evacuation plan for public



Front of Warehouse 1



• None (single floor)



We strongly believe in providing accessibility to ALL



Do you have any specific needs?

Contact Us





Inaccurate Information?
Email: organizer_email@email.com

Cinema Museum

Accessibility Guide

accessibilityinfo.com

Horizontal Movement

- Corridor width average: 155 cm
- Corridor width **minimum**: 102 cm
- Concrete floors
- Carpet **only** in screening rooms

Floors not slip-resistant

This guide is designed by a team of students to provide accessibility information for the general public.

General Information

Built: 1995

Working hours: 09:00-00:00



Entrance

- Main entrance located at front of building
- Ramp **maximum** length: 128.5 cm
- Ramp minimum width: 93 cm
- Wheelchair manoeuvre clearance: 63.5 cm
- No accessible sidewalk to entrance
- No handrails on ramp
- Wheelchair users can only enter through right door



\Rightarrow

Doors

- Entrance door unlocked at all times during working hours
 - Fully protected from weather with an overhang
 - Manually operated
 - Doormat present directly on floor
- Entrance door swings in **both** directions
- Door handle: 95.5 cm tall
- Clearance through entrance door: 180 cm
- Public entrance door is also accessible door
- Space available to park motorized scooters
 - Requires significant force to open



Accessible Bathroom

- 1 accessible restroom
 - Gender neutral
- Located in a common restroom
- Unlocked at all times during working hours
- **Clearance** through restroom door entrance: 96 cm
 - Manual inwards swinging door
 - Push button to open
- Clearance through toilet cabin door: 71.5 cm
 - Manual sliding horizontal door
- Toilet cabin space: 120 cm x 100 cm
- Handrails present
- Toilet unit: 46 cm tall (floor mount)
- Flush tank manual control
- Basin **included** in toilet cabin
 - Free height underneath: 79 cm
- Soap dispenser: 100 cm tall (within reach from wheelchair)
- Mirror: 95 cm tall (inclined)
- Alarm cord: 30 cm tall
- No room for wheelchair user to rotate in toilet cabin
- Flush tank requires significant force to operate
- No changing shelves
- No single toilet paper sheet dispenser
- Door of toilet cabin can not be opened from outside during an emergency

Emergency Cases

- 2 emergency exits
 - **All** emergency exits are accessible
- Alarm can be easily activated by visitor
 - Emergency buttons 118 cm tall
 - No visible emergency exit plan



Front of Warehouse 1



Clear signage concerning different uses of rooms





• Straight sections with landing in between

Stair width **minimum**: 190 cm
Riser height **maximum**:16 cm

• Tread depth **minimum**: 31 cm

• Handrails **present**

• No tactile warning at foot or head of stairs



Do you have any specific needs?

Contact Us





(maccurate Information?

Email: organizer_email@email.com

Warehouse D

Accessibility Guide

accessibilityinfo.com

Horizontal Movement

- No Corridors (greater than 7 m)
- Flooring: Tiles and wood

Floors **not** slip-resistant

This guide is designed by a team of students to provide accessibility information for the general public.

General Information Built:

Working hours: 09:00-00:00





- Main entrance located at front of building
 - o 3 stair treads to enter main floor
 - Ramp length: 475 cm
 - Ramp width: 173.5 cm
 - Ramp railings present
- Accessible entrance to lower cinema
- Call (690) 690-6969 for access
- Top landing: 104.5 cm x 208 cm
- Lower landing: 207.5 cm x 206 cm
- Wheelchair manoeuvre **clearance**: Diameter 153.5 cm
- No handrails present on stairs
- No tactile warning at foot or head of stairs



Doors

- Entrance doors unlocked at all times during working hours
 - Fully protected from weather with an overhang
 - Manually operated
- Entrance doors swings in **both** directions
 - Door handle: 86 cm tall

Clearance through entrance door: 158



Elevators

- Floors: 2
- Elevators: 1
- Clearance through elevator doors: 80 cm

As of April 20, 2024,

ELEVATOR IS OUT OF ORDER



Accessible Bathroom

- 1 accessible restroom
 - Gender neutral
- Unlocked at all times during working hours
- **Clearance** through restroom door entrance: 101.5 cm
 - **No** door present
- Clearance through toilet cabin door: 94.5 cm
 - Manual swinging door
- Toilet cabin space: 94 cm x 108 cm
- Space around toilet **minimum**: 44 cm
- Handrails **present**
- Toilet unit: 48 cm tall (floor mount)
- Flush tank manual control
- Basin **included** in toilet cabin
- Free height underneath: 81 cm
- Soap dispenser: 103.5 cm tall (within reach from wheelchair)
- Mirror: 101.5 cm tall (inclined)
- Alarm cordon present
- Door of toilet cabin **can be** opened from outside during an emergency
- No room for wheelchair user to rotate in toilet cabin
- Flush tank requires significant force to operate
- No changing shelves
- No single toilet paper sheet dispenser

Emergency Cases

- 4 emergency exits
 - 3 emergency exits are accessible
- Alarm can be easily activated by visitor
 - Emergency buttons 142.5 cm tall
 - No visible emergency exit plan



Parking

- Parking capacity: 25 cars
 - Reserved accessible parking: 2 cars
- Parking spaces minimum width: 363 cm
- Parking space **length**: 488 cm
- Surface: paved



We strongly believe in providing accessibility to ALL



Do you have any specific needs?

Contact Us



- No Corridors (greater than 3 m)
- Minimum width: 148 cm (between tables/chairs)

Floors **not** slip-resistant

Building Front Desk: +30 (000) 000-0000



Building Email: building_email@email.com



Warehouse 1

Accessibility Guide

accessibilityinfo.com

This guide is designed by a team of students to provide accessibility information for the general public.





Entrance

- Main entrance located at front of building
- Entrance level with ground level
 - Cobblestone in front of entrance
 - No smooth sidewalks to entrance



Doors

- Entrance doors unlocked at all times during working hours
 - Fully protected from weather with an overhang
 - Manually operated
- Entrance doors swings in **both** directions
 - o Door handle: 66.5 cm tall
- Clearance through entrance door: 202 cm



Stairs

- Main stairs: **None** (single floor)
- Cinema: 2 staircases
 - Straight
 - o Width: 151.5 cm
 - Riser height: 13 cm
 - Tread minimum depth: 37.5 cm

No handrails in cinema



Accessible Bathroom

- 1 accessible restroom
 - Gender neutral
- Unlocked at all times during working hours
- Separated from common use restrooms
- Clearance through restroom door/toilet cabin entrance: 87.5 cm
 - Manual inwards push door
 - o Door handle height: 104.5
- Toilet cabin space: 168 cm x 140 cm
- Space around toilet **minimum**: 75 cm
- Handrails **present**
- Toilet unit: 48 cm tall (floor mount)
- Flush tank manual control
- Basin **included** in toilet cabin
 - Free height underneath: 88 cm
- Soap dispenser: 99.5 cm tall (within reach from wheelchair)
- Mirror: 96.5 cm tall (inclined)
- Alarm cordon present
- Bathroom door requires significant force to open
- No room for wheelchair users to rotate toilet cabin
- Flush tank requires significant force to operate
- No changing shelves
- **No** single toilet paper sheet dispenser
- Door of toilet cabin can not be opened from outside during an emergency