

Experiment	Date: January 20, 2005	5
	Time: 12:47 pm	

General Data	Condition:	Good	
		Imaged:	

Holder Data	
Holder:	N/A
Holder Case Label:	N/A
Well Plate Label:	N/A

Acquisition Information	
Slice Orientation:	coronal_head_foot
Field of View, FOV (cm):	12.0/4.0
Slice Thickness, SI (mm):	5.0
Number of Averages, NEX:	4
Matrix Size:	256/256
Repetition Time, TR (msec):	3000
Echo Time, TE (msec):	20
Pulse Angle:	N/A

Raw Data	
Proton Density, M0':	
T1 Relaxation Time (msec):	
T2 Relaxation Time (msec):	
Measured Diffusion:	
:	
:	
:	
:	
:	


Description


The image on the left is the first set of control samples that were imaged. This scan was taken with high TR values, and is the last scan of a progressive saturation sequence of scans. For the other scans in the sequence, please see the next page. The image on the right is the T1 map for this set of samples.


The top two sponges in both images are UV crosslinked for 30 minutes. The bottom two are un-crosslinked.

Sample Informaton	
Material:	Bovine Collagen Type I
Fabrication Method:	Liquid Nitrogen (LN2)
Fabrication Date:	
Batch ID:	
Crosslinked:	Yes
Crosslinking Method:	UV for 30 min

Sample Preparation	
Degraded:	No
Condition:	Good
Hydrating Solution:	1 X PBS
Hydration Method:	Vacuum







Experiment Date: January 21, 2005
Time: 4:43 pm

General Data Condition: O.K.

Imaged:



Holder Data	
Holder:	N/A
Holder Case Label:	N/A
Well Plate Label:	N/A

Acquisition Information		
Slice Orientation:	Coronal_head_foot	
Field of View, FOV (cm):	12.0/12.0	
Slice Thickness, SI (mm):	5.0	
Number of Averages, NEX:	2	
Matrix Size:	256/256	
Repetition Time, TR (msec):	3000	
Echo Time, TE (msec):	10	
Pulse Angle:	N/A	

Raw Data		
Proton Density, M0':	0.03 - 0.08	
T1 Relaxation Time (msec):	185 - 223	
T2 Relaxation Time (msec):		
Measured Diffusion:		
:		
:		
:		
:		
:		


Description

The image on the left is second set of preliminary images for both crosslinked and uncrosslinked sponges. The middle image shows the proton denisty map and the image on the right shows the T1 map obtained from the data

The top two sponges in both images are UV crosslinked for 30 minutes. The bottom two are un-crosslinked.

Sample Informaton	
Material:	Bovine Collagen Type I
Fabrication Method:	Freeze dried with LN2
Fabrication Date:	
Batch ID:	
Crosslinked:	Yes
Crosslinking Method:	UV for 30 min

Sample Preparation	
Degraded:	No
Condition:	O.K.
Hydrating Solution :	1 X PBS
Hydration Method:	Vacuum



Experiment	Date: January 21, 2005	ite: January 21, 2005	
	Time: 1:54 pm	ne: 1:54 pm	

General Data	Condition: Goo	d
		Imaged: 🛛

Holder Data	
Holder:	N/A
Holder Case Label:	N/A
Well Plate Label:	N/A

Acquisition Information	
Slice Orientation:	Coronal_head_foot
Field of View, FOV (cm):	3.0/3.0
Slice Thickness, SI (mm):	2.0
Number of Averages, NEX:	8
Matrix Size:	512x512
Repetition Time, TR (msec):	610
Echo Time, TE (msec):	20
Pulse Angle:	N/A


Raw Data	
Proton Density, M0':	
T1 Relaxation Time (msec):	
T2 Relaxation Time (msec):	
Measured Diffusion:	
:	
:	
:	
:	
:	

Description

This is a T1-weighted, 512x512 image of a control sample. The sponge was placed in a contact lens case and the lid was snapped on to prevent dehydration. The contact lens case was then placed within a 4-turn surface coil, and secured with medical tape to ensure the sample stayed stationary during imaging.

Sample Informaton	
Material:	Bovine Collagen Type I
Fabrication Method:	Freeze dried with LN2
Fabrication Date :	
Batch ID:	Batch 1
Crosslinked:	No
Crosslinking Method:	N/A

Sample Preparation	
Degraded: No	
Condition:	Good
Hydrating Solution:	1 X PBS
Hydration Method:	Vacuum



Experiment	Date:	January 23, 2005
	Time:	2:08 pm

General Data Condition: Good Imaged:

Holder Data		
Holder:		
Holder Case Label:		
Well Plate Label:		

Acquisition Information	
Slice Orientation:	Coronal_head_foot
Field of View, FOV (cm):	12.0/12.0
Slice Thickness, SI (mm):	5.0
Number of Averages, NEX:	2
Matrix Size:	256x256
Repetition Time, TR (msec):	3000
Echo Time, TE (msec):	10
Pulse Angle:	N/A


Raw Data	
Proton Density, M0':	
T1 Relaxation Time (msec):	
T2 Relaxation Time (msec):	
Measured Diffusion:	
:	
:	
:	
:	
:	

Description

This is a T1 weighted image the of first set of degraded samples. It is the final scan of a progressive saturation sequence of scans. The top sponge was estimated to be 25% degraded, the second sponge from the top at 50% degraded, the next at 75% degraded and the bottom sponge at 100% degraded.

Sample Informaton		
Material: Bovine Collagen Type I		
Fabrication Method:	Liquid Nitrogen (LN2)	
Fabrication Date :		
Batch ID:		
Crosslinked:	No	
Crosslinking Method:	N/A	

Sample Preparation	
Degraded: Yes	
Condition:	Good
Hydrating Solution:	1 X PBS
Hydration Method:	De-gassing



Experiment	Date:	February 17, 2005
	Time:	3:03 pm

General Data Condition: Good

0004

Imaged:

Holder Data		
Holder: C		
Holder Case Label:	C1-C4	
Well Plate Label:	1:A4, B1 2:A3, A4	

Acquisition Information		
Slice Orientation:	coronal_head_foot	
Field of View, FOV (cm):	12.0/12.0	
Slice Thickness, SI (mm):	5.0/5.0	
Number of Averages, NEX:	2	
Matrix Size:	256x256	
Repetition Time, TR (msec):	300	
Echo Time, TE (msec):	10	
Pulse Angle:	≤ 20°	


Raw Data		
Proton Density, M0':		
T1 Relaxation Time (msec):		
T2 Relaxation Time (msec):		
Measured Diffusion :		
:		
:		
:		
:		
:		

Description

These sponges were fast scanned using gradient fast echo techniques to ensure homogeneity. The sponges in C1 and C2 were not cross-linked. The sponges in C3 and C4 were UV cross-linked.

Sample Informaton		
Material: Bovine Collagen Type I		
Fabrication Method :	freeze drying LN2	
Fabrication Date:	2/15/05	
Batch ID:		
Crosslinked:	Yes, C3 and C4	
Crosslinking Method:	UV for 30 min	

Sample Preparation		
Degraded: No		
Condition:	Good	
Hydrating Solution:	1 X PBS	
Hydration Method:	Vacuum	



Experiment	Date:	February 17, 2005
•	TP!	2.20

Imaged:

General Data	Condition:	Good

Holder Data		
Holder: F		
Holder Case Label:	F1-F4	
Well Plate Label:	1:B2, B3 2:B1, B2	

Acquisition Information		
Slice Orientation:	Coronal_head_foot	
Field of View, FOV (cm):	12.0/12.0	
Slice Thickness, SI (mm):	8.0/8.0	
Number of Averages, NEX:	2	
Matrix Size:	256x256	
Repetition Time, TR (msec):	300	
Echo Time, TE (msec):	10	
Pulse Angle:	≤ 20°	


Raw Data		
Proton Density, M0':		
T1 Relaxation Time (msec):		
T2 Relaxation Time (msec):		
Measured Diffusion:		
:		
:		
:		
:	_	
:		

Description

These sponges were fast scanned using gradient fast echo techniques to ensure homogeneity. The sponges in F1 and F2 were not cross-linked. The sponges in F3 and F4 were UV cross-linked.

Sample Informaton	
Material:	Bovine Collagen Type I
Fabrication Method :	freeze drying LN2
Fabrication Date:	2/15/05
Batch ID:	
Crosslinked:	Yes, F3 and F4
Crosslinking Method:	UV for 30 min

Sample Preparation	
Degraded: No	
Condition:	Good
Hydrating Solution:	1 X PBS
Hydration Method:	Vacuum



Experiment Date: February 17, 2005

Time: 3:55 pm

General Data Condition: Good

Imaged:

\boxtimes	

Holder Data		
Holder:	E	
Holder Case Label:	E1-E4	
Well Plate Label:	1:C1, C2 2:B3, B4	

Acquisition Information		
Slice Orientation:	Coronal_head_foot	
Field of View, FOV (cm):	12.0/12.0	
Slice Thickness, SI (mm):	7.0/7.0	
Number of Averages, NEX:	2	
Matrix Size:	256x256	
Repetition Time, TR (msec):	300	
Echo Time, TE (msec):	10	
Pulse Angle:	≤ 20°	


Raw Data		
Proton Density, M0':		
T1 Relaxation Time (msec):		
T2 Relaxation Time (msec):		
Measured Diffusion:		
:		
:		
:		
:		
:		

Description

These sponges were fast scanned using gradient fast echo techniques to ensure homogeneity. The sponges in E1 and E2 were not cross-linked. The sponges in E3 and E4 were UV cross-linked.

Sample Informaton		
Material: Bovine Collagen Type		
Fabrication Method :	freeze drying LN2	
Fabrication Date:	2/15/05	
Batch ID:		
Crosslinked:	Yes, E3 and E4	
Crosslinking Method:	UV for 30 min	

Sample Preparation	
Degraded: No	
Condition:	Good
Hydrating Solution:	1 X PBS
Hydration Method:	Vacuum



Experiment	Date:	February 17, 2005
•	Time:	4:11 pm

General Data Condition: Good

Imaged:

Holder Data		
Holder:	D	
Holder Case Label:	D1-D4	
Well Plate Label:	1:A2, A3 2:A1, A2	

Acquisition Information		
Slice Orientation:	Coronal_head_foot	
Field of View, FOV (cm):	12.0/12.0	
Slice Thickness, SI (mm):	8.0/8.0	
Number of Averages, NEX:	2	
Matrix Size:	256x256	
Repetition Time, TR (msec):	300	
Echo Time, TE (msec):	10	
Pulse Angle:	≤ 20°	


Raw Data	
Proton Density, M0':	
T1 Relaxation Time (msec):	
T2 Relaxation Time (msec):	
Measured Diffusion:	
:	
:	
:	
:	
:	

Description

These sponges were fast scanned with gradient fast echo techniques to ensure homogeneity. The sponges in D1 and D2 were not cross-linked. The sponges in D3 and D4 were UV cross-linked.

Sample Informaton		
Material:	Bovine Collagen Type I	
Fabrication Method:	freeze drying LN2	
Fabrication Date:	2/15/05	
Batch ID:		
Crosslinked:	Yes, D3 and D4	
Crosslinking Method:	UV for 30 min	

Sample Preparation		
Degraded: No		
Condition:	Good	
Hydrating Solution:	1 X PBS	
Hydration Method :	Vacuum	



Experiment	Date:	February 17, 2005
·	Time:	4:28 pm

Imaged:

General Data	Condition:	Good

Holder Data		
Holder:	G	
Holder Case Label:	G2-G3	
Well Plate Label:	1:C3 2:C1	

Acquisition Information		
Slice Orientation:	Coronal_head_foot	
Field of View, FOV (cm):	12.0/12.0	
Slice Thickness, SI (mm):	6.0	
Number of Averages, NEX:	2	
Matrix Size:	256x256	
Repetition Time, TR (msec):	300	
Echo Time, TE (msec):	10	
Pulse Angle:	≤ 20°	


Raw Data	
Proton Density, M0':	
T1 Relaxation Time (msec):	
T2 Relaxation Time (msec):	
Measured Diffusion:	
:	
:	
:	
:	
:	


Description


These sponges were fast scanned using gradient fast echo techniques to ensure homogeneity. The sponge in G2 was not cross-linked. The sponge in G3 was UV cross-linked. G1 and G4 were left empty.

Sample Informaton		
Material: Bovine Collagen Type		
Fabrication Method:	freeze drying LN2	
Fabrication Date :	2/15/05	
Batch ID:		
Crosslinked:	Yes, G3 only	
Crosslinking Method:	UV for 30 min	

Sample Preparation		
Degraded: No		
Condition:	Good	
Hydrating Solution:	1 X PBS	
Hydration Method:	Vacuum	







Experiment **Date:** 2/25/2005 **Time:** 4:00 pm

Condition: General Data

Imaged:

Holder Data		
Holder: B		
Holder Case Label:	B1-4	
Well Plate Label:	Plate 2: B1, A3, C2, A2	

Acquisition Information		
Slice Orientation:	Coronal Head Foot	
Field of View, FOV (cm):	12	
Slice Thickness, SI (mm):	6	
Number of Averages, NEX:	2	
Matrix Size:	256x256	
Repetition Time, TR (msec):	3000	
Echo Time, TE (msec):	20	
Pulse Angle:		

Raw Data		
Proton Density, M0':	.019032	
T1 Relaxation Time (msec):	198-262	
T2 Relaxation Time (msec):		
Measured Diffusion:		
:		
:		
:		
:		
:		


Description


This is the image of the collagen sponges that were cross-linked by UV for 10 minutes on each side. The images on this page are the actual image, then proton density and the T1 weighted image.

Sample Informaton	
Material:	Collagen
Fabrication Method:	LN2 Freeze Drying
Fabrication Date:	2/20/05
Batch ID:	
Crosslinked:	Yes
Crosslinking Method:	UV 10 minutes each side

Sample Preparation	
Degraded:	No
Condition:	Very Good
Hydrating Solution:	PBS
Hydration Method:	Vacuum







Experiment Date: February 27, 2005

Time: 10:00 am

General Data Condition: Good

Imaged:

Description	

The image on the left is the last T1 weighted scan of a progressive saturation of scans. For the other scans, please see the next page. The middle image is representative of the proton density (MO'). The image on the right is the T1 map of these samples.


Holder Data	
Holder:	С
Holder Case Label:	С
Well Plate Label:	4: A4, A1, B2, B3


Acquisition Information	
Slice Orientation:	Coronal_head_foot
Field of View, FOV (cm):	12.0/12.0
Slice Thickness, SI (mm):	6.0
Number of Averages, NEX:	2
Matrix Size:	256x256
Repetition Time, TR (msec):	3000
Echo Time, TE (msec):	20
Pulse Angle:	N/A


Raw Data	
Proton Density, M0':	0.020 - 0.061
T1 Relaxation Time (msec):	195 - 251
T2 Relaxation Time (msec):	
Measured Diffusion:	N/A
:	
:	
:	
:	
:	

Sample Informaton	
Material:	Bovine Collagen Type I
Fabrication Method :	freeze drying LN2
Fabrication Date:	2/22/05
Batch ID:	N/A
Crosslinked:	Yes
Crosslinking Method:	UV for 5 min

Sample Preparation	
Degraded:	No
Condition:	Good
Hydrating Solution:	1 X PBS
Hydration Method:	Vacuum







Experiment Date: February 27, 2005

Time: 10:00 am

Condition: Good General Data

Imaged:

Holder Data	
Holder:	D
Holder Case Label:	D1-D4
Well Plate Label:	A4, A1, B1, A3

Acquisition Information	
Slice Orientation:	Coronal_head_foot
Field of View, FOV (cm):	12.0/12.0
Slice Thickness, SI (mm):	6.0
Number of Averages, NEX:	2
Matrix Size:	256x256
Repetition Time, TR (msec):	3000
Echo Time, TE (msec):	250
Pulse Angle:	N/A

Raw Data		
Proton Density, M0':	0.01 - 0.09	
T1 Relaxation Time (msec):	194 - 253	
T2 Relaxation Time (msec):		
Measured Diffusion:		
:		
:		
:		
:		
:		

Description

The image on the left is the last T1 weighted scan of a progressive saturation of scans. For the other scans, please see the next page. The center image is the liner fit proton density map. The image on the right is the linear fit T1 map of these samples.

Sample Informaton	
Material:	Bovine Collagen Type I
Fabrication Method:	freeze drying LN2
Fabrication Date:	2/22/05
Batch ID:	
Crosslinked:	Yes
Crosslinking Method:	Carbodiimide

Sample Preparation	
Degraded:	No
Condition:	Good
Hydrating Solution:	1 X PBS
Hydration Method:	Vacuum