

**Production Report System Improvement for Saint Gobain Abrasives,  
Shanghai Operation**

A Major Qualifying Project Report:  
submitted to the Faculty of the  
WORCESTER POLYTECHNIC INSTITUTE  
in partial fulfillment of the requirements for the  
Degree of Bachelor of Science  
by

---

Gabriel Baldwin

---

Michael Brown

In collaboration with  
Huazhong University of Science and Technology  
Ji, Wu  
Liang, Wang  
Mingyuan, Gao

Date: July 31, 2007

Approved:

---

Professor Kevin Yiming Rong, Major Advisor  
Professor Liang Gao, Co Advisor, HUST  
Dr. Haobo Qiu, Haobo, Co Advisor, HUST

## **Abstract**

The goal of this project is to help St. Gobain Abrasives Shanghai Operation better utilize its Enterprise Resources Planning production data. The development of a custom built, third party software extension which was designed to support lean manufacturing initiatives will help improve manufacturing quality by identifying problem areas in the production cycle, and will eliminate waste in the form of time spent on data analysis, by St. Gobain employees.

## **Acknowledgements**

We would like to thank the several people and accompanying organizations for the support and guidance throughout the course of the project. First off we would like to thank our advisor Professor Kevin Rong from Worcester Polytechnic Institute for providing this amazing experience and guiding us along the way. We would like to thank the following people our host university, Huazhong University of Science and Technology, in Wuhan, Hubei Province, China: Professors Gao Liang and Liu Shipping for their insight and suggestions for our presentations, and Dr. Qiu Haobo for advising us so much and accompanying us to the company. We would like to thank the following employees of Saint-Gobain Abrasives Shanghai for providing this challenging project that we have worked so hard on: Mr. Tong Youyue, the plant manager, for coming up with this unique project and overseeing the process of building the database, Miss. Lv Jing and Mr. Shen Yijun for providing guidance on the more complex database issues specific to Shanghai, and Miss. Tu Zhuoxia for answering our countless questions promptly.

# Table of Contents

Abstract.....	ii
Acknowledgements .....	iii
Table of Contents .....	4
<b>1. Introduction.....</b>	<b>6</b>
<b>2. Background .....</b>	<b>8</b>
<b>2.1 Saint-Gobain Company Profile .....</b>	<b>8</b>
<b>2.2 Shanghai Operations .....</b>	<b>9</b>
<b>2.3 Abrasives Overview .....</b>	<b>9</b>
2.3.1 Bonded Abrasives .....	10
2.3.2 Coated Abrasives .....	13
2.3.3 Superabrasives .....	13
<b>2.4 Lean Manufacturing .....</b>	<b>14</b>
2.4.1 Wastes.....	14
2.4.2 Ingredients of Lean .....	16
<b>2.5 Quality Measurement and Report System .....</b>	<b>19</b>
<b>2.6 Integrated Manufacturing Systems in China.....</b>	<b>19</b>
<b>2.7 Manufacturing Execution Support Systems .....</b>	<b>20</b>
2.7.1 Enterprise Resource Planning (ERP).....	21
2.7.2 Implementation Problems with ERP systems .....	23
<b>2.8 Previous WPI/HUST Saint-Gobain Project .....</b>	<b>25</b>
<b>3. Methodology .....</b>	<b>26</b>
<b>3.1 Identification of Problem .....</b>	<b>27</b>
<b>3.2 Identification of Company Needs.....</b>	<b>27</b>
<b>3.3 Discussion of Overall Project Plan.....</b>	<b>28</b>
3.3.1 Problem Definition and Project Planning .....	29
3.3.2 Examination of St. Gobain United Kingdom Database .....	29
<b>3.4 Project Schedule .....</b>	<b>32</b>
<b>3.5 Development of New Database .....</b>	<b>33</b>
3.5.1 Strategy.....	34
<b>4. Results and Analysis .....</b>	<b>36</b>
<b>4.1 Intermediate Products.....</b>	<b>36</b>
4.1.1 Map of SGUK.....	36
4.1.2 Functional Analysis of SGUK .....	37
4.1.3 Flow Chart of Basic SGUK Function .....	39
<b>4.2 Development of New Database .....</b>	<b>40</b>
4.2.1 Database Functions .....	40
4.2.2 Database Objects .....	41
4.2.3 Product Users.....	51
4.2.4 Users Manual .....	52

<b>5. Conclusions.....</b>	<b>53</b>
<b>Map of St. Gobain UK Database.....</b>	<b>55</b>
<b>Appendix B: St. Gobain Shanghai Users Manual.....</b>	<b>64</b>
<b>Bibliography .....</b>	<b>80</b>

# 1. Introduction

In recent years many corporations have employed Enterprise Resource Planning (ERP) and Manufacturing Resource Planning (MRPII) systems as tools to make business decisions. These systems rely heavily on IT solutions to collect, store and analyze data. ERP systems monitor all business resources (accounting, sales, warehouse inventory, personnel etc.) to maximize effectiveness, and reduce waste in all sectors of the business.

In the case of manufacturing, ERP and MRPII systems are utilized in many ways. They can be used to schedule manufacturing orders, monitor progress on individual orders, monitor quality, track amounts of available raw materials, and determine pricing for orders. The amount of data that can be stored using ERP systems and the resources that have been developed to interpret this information is great.

Based on the capabilities of ERP systems, they are often thought to be the ultimate solution for businesses. However these systems cost a great deal of money, time, and business reorganization for the maximized results, and more often than not the implementation of these systems are not considered to be effective. Further the effectiveness varies between cultures, and research has shown that despite the high amount of manufacturing operations in China, the effectiveness of these implementations is very low.

St. Gobain Abrasives, Shanghai manufactures 4 product lines; Vitrified and Resinoid bonded abrasives, Rubber bonded abrasives, coated abrasives, and construction products. The Shanghai operation located in the Minghang development of Shanghai has utilized the SAP R/3 ERP system since the summer of 2005. This system has collected all the manufacturing data for their system since that point. While this data has been collected, they have no tool to interpret and display the data in a clear concise manner and do not have an effective way to identify

problem areas in the manufacturing system. Other St. Gobain facilities have used tools such as Microsoft Access databases to interpret, and display manufacturing data. While St. Gobain Shanghai have these databases, the systems are not relevant to the Shanghai operation.

The goal of this project is to develop a production report system that will utilize the data collected by the SAP R/3 system to help in the areas of production planning, rejection analysis, and overall waste removal from the production cycle. For this the development of a database to collect the SAP R/3 raw output data is necessary. To make this database effective and useful it will include reports that will present information in graphical, easily understood manner.

While ERP systems are useful tools for making scheduling and other business decisions as well as identifying problem areas in Lean Manufacturing systems, they are useless without the proper tools to interpret the data.

## 2. Background

In order to perform a reliable analysis and propose constructive recommendations for Saint-Gobain, an understanding of the background information and material must be obtained. We looked at the history of Saint-Gobain in regard to its company history and its abrasive process histories. A study of manufacturing principles, specifically lean manufacturing, was conducted. In addition, an in-depth look at specific grinding wheel manufacturing processes was performed. Further, to better understand production report systems, research on the topic of Enterprise Resources Planning was performed to understand better, the type of system that is currently in place, and to better identify the problem areas.

### 2.1 *Saint-Gobain Company Profile*

Since it's founding in 1665, St. Gobain has been known world wide as "The materials mega-group<sup>1</sup>" who manufacture a wide range of products which include, flat glass, abrasives, ceramics, plastics, packaging, and building materials, which include glass insulation, cast iron pipe, mortar and exterior products, and is a worldwide leader in nearly all sectors of it's business<sup>2</sup>. Further St. Gobain operates in more than 50 countries worldwide with a workforce of more than 200,000. St. Gobain has been heavily involved in the abrasives industry since it's 1990 acquisition of Worcester, Massachusetts based Norton Company<sup>3</sup>. Currently St. Gobain is the world leader in abrasives.

---

<sup>1</sup> "Compagnie De Saint-Gobain Company Profile - Yahoo! Finance," [cited 2007]. Available from <http://biz.yahoo.com/ic/40/40729.html>.<sup>7</sup>

<sup>2</sup> "Saint-Gobain Business Sectors," [cited 2007]. Available from <http://www.saint-gobain.com/en/html/groupe/metiers.asp>.<sup>7</sup>

<sup>3</sup> "History of the Saint-Gobain Group." [cited 2007]. Available from <http://www.saint-gobain.com/en/html/groupe/historique.asp>.<sup>7</sup>



## 2.2 *Shanghai Operations*

Saint-Gobain Abrasives Co., Ltd. manufactures four types of abrasives in Shanghai, China. It was established in 1994 and currently has 800 employees at two plants located in Minhang Economic and Development Zone and one remote plant in Dongguan, South China.<sup>4</sup> The plants and products are of the highest quality mandated by its ISO 9001 Certification and following or exceeding industrial standards like GB, JIS, and ANSI.<sup>5</sup> Saint-Gobain Abrasives provides high-quality technical support for its products as well as on-site tests.<sup>6</sup> The Shanghai plants are a sub company of Saint-Gobain Abrasives, which has been present in China since 1985 and is a division of the world's leading manufacturer and distributor of abrasives products and systems<sup>7</sup>.

## 2.3 *Abrasives Overview*

Abrasives are defined as “small, non metallic hard particle[s] with sharp edges and irregular shape ... and are capable of removing small amounts of material from a surface through a cutting process that produces tiny chips.<sup>8</sup>” Within the classification of abrasives are three subcategories: bonded abrasives, coated abrasives, and superabrasives. Saint-Gobain is the only international company to produce all three types of abrasives.<sup>9</sup> Each produce different types of abrasives parts and tools and are utilized in various industries.

---

<sup>4</sup> "Saint-Gobain China - Jobs," [cited 2007]. Available from [http://www.saint-gobain.com.cn/html/jobs/trainees\\_abrasives.htm](http://www.saint-gobain.com.cn/html/jobs/trainees_abrasives.htm).

<sup>5</sup> "Saint-Gobain Abrasives Shanghai - Home," [cited 2007]. Available from <http://abrasives.saint-gobain.com.cn/>.

<sup>6</sup> "Saint-Gobain China - Jobs,"

<sup>7</sup> "Saint-Gobain Abrasives (Shanghai) Co., Ltd." [cited 2007]. Available from [http://www.saint-gobain.com.cn/html/companypages/Abrasives\\_SH.htm](http://www.saint-gobain.com.cn/html/companypages/Abrasives_SH.htm).

<sup>8</sup> Serope Kalpakjian, *Manufacturing Engineering and Technology*, Reprint with corrections, November 1989d ed. (Reading, Mass.: Addison-Wesley, 1989), 1199, 8, 19. 88024219; ocm18379052.

<sup>9</sup> "Saint-Gobain Abrasives (Shanghai) Co., Ltd."

### 2.3.1 *Bonded Abrasives*

The first type of abrasives is bonded abrasives. It consists of grinding wheels, sharpening stones, and mounted points. These perform roughing, precision grinding, and sharpening of materials and tools. These processes are used in the aeronautics, automotive, metals processing, mechanical bearings, and iron and steel industries. Some competitors of St. Gobain in the area of bonded abrasives are Carbo plc of the United Kingdom, Noritake of Japan, and Tyrolit of Austria.<sup>10</sup> Wheel grinding and cutting-off wheels perform cutting and trimming, which can be used in the metals processing, maintenance, energy, iron and steel, construction, and home improvement industries.<sup>11</sup>

Most are familiar with various bonded abrasives typically in the form of grinding wheels and sharpening stones, and these abrasives have a wide variety of uses in manufacturing processes. Bonded abrasives are material removal tools that feature an abrasive grain suspended and held together in a matrix of bonding materials. Abrasives typically come in two main forms, conventional abrasives, and super abrasives. The differences between these two forms lie both in the hardness of the abrasive, and the hardness of material that is to be cut.

#### **2.3.1.1 Bonded Abrasive Development**

The first grinding wheels were round wheels carved from naturally occurring sand stone. As manufacturing processes improved so did the need for grinding wheels capable of grinding harder materials such as steels. Natural abrasives are “generally referred to as those that have

---

<sup>10</sup> "Saint-Gobain - Press Download Center: Financial Reports, Annual Reports, Quarterly Reports," [cited 2007]. Available from [http://www.saint-gobain.de/en/presse/download\\_center/finanzberichte.html?pe\\_id=38](http://www.saint-gobain.de/en/presse/download_center/finanzberichte.html?pe_id=38). Saint-Gobain Annual Report 2004, p.7.

<sup>11</sup> Ibid. Saint-Gobain Annual Report 2004, p.7.

been produced by the uncontrolled forces of nature.<sup>12</sup> Due to impurities and general inconsistent quality few naturally occurring abrasives are still used. A few of the primary natural abrasive still in application include Crocus, Corundum, Emery and Diamonds. Crocus is naturally occurring as well as in the form of manufactured iron oxide. It is a very fine powder and is used to polish and remove corrosion from precision instruments, where a minimal amount of material removal is desired<sup>13</sup>. Corundum is naturally occurring Aluminum Oxide, and is a desirable abrasive material that is capable of bonding with ceramic and pottery materials<sup>14</sup>. Emery has many components, the most significant of which is corundum, or Aluminum Oxide, Al<sub>2</sub>O<sub>3</sub>. Due to overall inconsistency of emery grains, emery is seeing fewer and fewer applications in manufactured abrasives.

The first manmade bonded abrasive grinding wheels were made from Emery around 1864<sup>15</sup>. With this development manufacturers were able to sharpen and hone metals with greater consistency and accuracy. Also there came an increasing need for harder, more consistent abrasives to keep up with the developments being made both in manufacturing processes, and advances in the areas of materials science and metallurgy. Synthetic, manufactured abrasive grains were the answer.

### **2.3.1.2 Synthetic Bonded Abrasives**

Synthetic bonded abrasives are abrasive grains that are manufactured in controlled environments. These are desirable for bonded abrasives as they provide consistent grain size,

---

<sup>12</sup> Stephen F. Krar, *Grinding Technology*, 2nd ed. (Albany: Delmar Publishers, 1995), 3. 94002612; (OCoLC)ocm29668542; (OCoLC)29668542; 263946.

<sup>13</sup> *Ibid.*, 3.

<sup>14</sup> *Ibid.*, 3.

<sup>15</sup> Johnson Heywood and Grinding Wheel Manufacturers Association, *Grinding Wheels and their Uses; a Handbook and Textbook on Modern Grinding Practice and Theory*, 2d ed. (Cleveland, O.: The Penton Publishing Co., 1942), 2. 43001119; (CaOTULAS)150749108; ocm00563221 820217.

and are largely free of impurities. The most common synthetic abrasives include silicon carbide, aluminum oxide, cubic boron nitride (cBN), and manufactured diamonds.

### **2.3.1.3 Characteristics of Bonded Abrasives**

There are four main types of bonded abrasives; Vitrified, Resin Bonded, Rubber Bonded, and Metal Bonded abrasives, which are typically reserved for superabrasive applications. For the first three types the abrasive grain is typically mixed with the respective bonding agent, and then molded and pressed into their respective shapes.

Vitrified bonds are typically made of clay or feldspar. This type of bond has to be heated to a high temperature to fuse the bond and the abrasive material. When cooled the bond forms a glass like structure. This structure has good hardness and rigidity, but also allows the bonds to break easily and fracture when the forces become too great, or the grain becomes dull. This property allows the grinding wheel to continually sharpen. Other advantages to vitrified bonded abrasives are their hardness, and compatibility with cutting fluids<sup>16</sup>.

Resin bonded abrasives are very similar to vitrified abrasives. Instead of a clay or feldspar based bonding agent, resins are used. These resins are most commonly mixed in powder form, mixed with the abrasive grain, molded and pressed. Once pressed, the resin bonded abrasive must be cured in a process similar to annealing, where the green mold is heated and cooled gradually. When baked, the green mold softens, and then hardens once it reaches its curing temperature, and retains this hardness when it cools back to room temperature. Typically these curing processes take nineteen to upwards of forty-eight hours. Advantages to these types

---

<sup>16</sup> Stuart C. Salmon, *Modern Grinding Process Technology*, (New York: McGraw-Hill, 1992), 26. 91045421; ocm25026549.

of wheels are their ability to operate at higher speeds than vitrified wheels, but drawbacks include their incompatibility with cutting fluids<sup>17</sup>.

Rubber bonded abrasives mix the abrasive grain into a synthetic or natural rubber. Sulfur is added to vulcanize, or harden the mix. The mix is then rolled into sheets, and the wheel profiles are cut out, and vulcanized. Rubber wheels are utilized because of their ability to be made very thin, and are used in applications with tight tolerances or requiring good surface finish.

### 2.3.2 *Coated Abrasives*

The second type of abrasives is coated abrasives. It consists of belts, disks, rolls, and sheets for sanding and finishing. These surface treating parts are used in the aeronautics, automotive, furniture, portable machines, steel, jewelry, watchmaking, and biomedical industries. Some competing companies are 3 M of the United States, Hermes of Germany, and Klingspor of Germany.<sup>18</sup>

### 2.3.3 *Superabrasives*

The third and final, superabrasives consist of diamond-edged grinding wheels, diamond saw blades, and CBN products. These products are then used for precision glass products, and building materials. In addition superabrasives are used in aeronautics, automotive, bearings, cutting tools, electronics, composite, and materials industries. Competing companies for

---

<sup>17</sup> Ibid., 30.

<sup>18</sup> "Saint-Gobain - Press Download Center: Financial Reports, Annual Reports, Quarterly Reports," Saint-Gobain Annual Report 2004, p.7.

superabrasives are Asahi of Japan, Diamant Boart of Belgium, Noritake of Japan, and Wendt Boart of Belgium.<sup>19</sup>

## **2.4 Lean Manufacturing**

Lean manufacturing is the analysis and elimination of waste in every aspect of the process to create a product. In this project we will be examining what constitutes lean manufacturing and its analysis in the realm of manufacturing grinding wheels. Lean manufacturing strategies are important for any manufacturing process, since it increases profits, decreased work in progress, less operation time needed, more production capabilities, and less stock required to make the same product.

### **2.4.1 Wastes**

Lean manufacturing principles are implemented by reducing sources of waste in the production cycle from order to delivery. Waste is process or step that does not add value to the finished product.<sup>20</sup> The main kinds of waste are:

- Overproduction
- Waiting time
- Inventory
- Transportation in the manufacturing cycle
- Product defects
- Unnecessary Motion
- Product processing<sup>21</sup>

Removing waste increases higher product quality, increased profits, and improves delivery efficiencies. In Michael Regan's The Kaizen Revolution each kind of waste is explained in depth and why it is considered to be a waste.

---

<sup>19</sup> Ibid.Saint-Gobain Annual Report 2004, p.7.

<sup>20</sup> Kalpakjian, "Manufacturing Engineering and Technology," 37.

<sup>21</sup> Ibid., 38.

Overproduction is when more products are produced than can be sold and therefore leaves unsold inventory on shelves, which causes a storage cost and delays when it is sold. Products should be produced in a just-in-time environment for maximum theoretical efficiency. If overproduction is occurring then work-in-progress at each stage, including the final, the end product is sitting in inventory creating wastes.<sup>22</sup>

Waiting time occurs when workers cannot perform their job at that moment because for whatever reason. For example, if one task takes one minute and another takes one and a half minutes and one worker is performing each task in a line there will be one half wasted minute every cycle of tasks. Waiting is a fairly common waste and it happens to be one of the easier to reduce. Waiting can occur if workers are not motivated to work quickly enough to prevent waiting.. All processes must add value to the product being manufactured. Since waiting does not add value it must be removed.<sup>23</sup>

Inventory, like overproduction, creates the need for storage and shelving, which have associated costs. Inventory can also be interpreted as waiting, in that the product or work in process (WIP) is waiting to be moved or sold. Relocating products to and from storage are unneeded and non-necessary steps and create transportation waste.<sup>24</sup>

Transportation takes time and energy and thus is non-value adding. The less transportation that occurs, then the less waste occurs. Manufacturing plants should be laid out in such a manner that forms work cells that create the least amount of transportation needed between both raw stock, and process cells.<sup>25</sup>

---

<sup>22</sup> Michael D. Regan, *The Kaizen Revolution : How to use Kaizen Events to Double Your Profits*, (Raleigh, N.C.: Holden Press, 2000), 246. (OCOLC)ocm45009569.

<sup>23</sup> Ibid.

<sup>24</sup> Ibid.

<sup>25</sup> Ibid.

Unnecessary motion causes waste also. Motion consists of unnecessary movement by employees or robots. Employees or robots moving around, like transportation for the product, are not a value adding activity. For example a worker puts pieces together picking them up from different bins in a large area around him, instead of all the parts already correlated into a pile of everything he needs right in front of him. Product processing causes waste since additional processing requires time and therefore money as well.<sup>26</sup>

Unnecessary product processes are defined as any process that is not value adding. For instance, mandating a very precise size with low error when it doesn't need to have that level of precision creates waste.<sup>27</sup> Product defects are a very obvious form of waste. When a defect occurs, the part can either be thrown away or repaired, both of which require wasted time and money.<sup>28</sup>

#### 2.4.2 *Ingredients of Lean*

The goal of lean is to reduce waste; utilizing lean ingredients is how to get there.

Following these ingredients is key in implementing lean manufacturing. The Kaizen Revolution defines the following eight ingredients:

- Just-in-time production
- Continuous one piece flow
- Work cells
- Setup reduction
- Preventative maintenance
- Kanban
- Workplace organization and cleanliness
- Standard work
- Teams<sup>29</sup>

---

<sup>26</sup> Ibid.

<sup>27</sup> Ibid.

<sup>28</sup> Ibid.

<sup>29</sup> Ibid.



Just-in-time production produces products relative to demand. So that when an order is made with a completion date the product is manufactured and produced on time and not before. The just-in-time ingredient helps combat waste from overproduction and inventory.<sup>30</sup>

Continuous one piece flow is when raw material is processed constantly and becomes a final product without ever becoming stock, or having to wait excessive periods of time between processes. This will reduce waste from overproduction, inventory, transportation and defects. However, overproduction might increase waste from waiting time due to the decreased buffer, due to the lack of stock.<sup>31</sup>

Work cells are groupings of machines and processes that produce a product family. This allows for better micro-management and efficiency as well as reducing the waste from motion and transportation sources.<sup>32</sup> Setup reduction allows machines to be switched between different uses in shorter amounts of time and less required effort. Setup reduction also includes the amount of steps necessary to prepare a work piece to be machined in a single process. This allows for flexibility in manufacturing different batches or products as opposed to an entire setup built for a specific manufacturing process, or product exclusively. To prevent waste created by this lean ingredient it is necessary to finish orders in complete batches before changing machine setup. Waste can be in the form of motion, product processing, and waiting time.<sup>33</sup>

Preventive maintenance is to maintain machines and equipment such that they don't break down. This will guarantee that the machines will be continually working. Preventive

---

<sup>30</sup> Ibid.

<sup>31</sup> Ibid.

<sup>32</sup> Ibid.

<sup>33</sup> Ibid.

maintenance prevents wastes from waiting time, during downtime associated with defects, and reduces defects themselves.<sup>34</sup>

Kanban is the use of clearly marked areas for raw stock and work in progress to be placed along the process line while waiting for the next process to be done. This creates stock, which is a waste, but it also allows a near continuous state of manufacturing since it eliminates potential waiting time by making sure every process has materials to work on.<sup>35</sup> It also reduces unnecessary motion by having an area to store necessary materials that is close to the work cell. The marking system for the Kanban area allows for easy notification that either a raw material is running out and needs to be replaced, or that there are orders in the queue that need to be processed.

Workplace organization and cleanliness is necessary to reap the benefits of a healthy, safe, and productive environment for its employees and programs. The Japanese created five terms known as the 5Ss to represent the different factors in this ingredient. They are Seiri, Seiton, Seiso, Seiketsu, and Shitsuke that translate into English sort, straighten, scrub, schedule and score, respectively. Sort means limiting tools in the work cell, and equipment on the shop floor, to only those tools and equipment that are absolutely necessary. Straighten means ordering everything into their respective places, and returning items to their homes after each use. Scrub means maintaining cleanliness, both in the work cell and in the manufacturing plant as well. Scheduling is maintaining a timetable for the other three Ss to be performed to promote good routines. Score means to rank how well the first three Ss (sort, straighten, scrub) are performed.<sup>36</sup>

---

<sup>34</sup> Ibid.

<sup>35</sup> Ibid.

<sup>36</sup> Ibid.

Standard work ensures that the best way to perform a process is the way it is performed each time resulting in both efficiency and consistency. If a superior method of performing the process is found to exist then the process will change.<sup>37</sup> Teams allow issues to become apparent quickly, by having several people look at the same problems with a reduction of several different wastes.<sup>38</sup>

## ***2.5 Quality Measurement and Report System***

To ensure a reliably high level of quality for its products, companies must have a quality monitoring and reporting system in place. Their accreditation in ISO 9001 Certification and other industrial standards depend upon it. All profits are impacted by quality. For example, every instance of a product not fitting specifications or failing a replacement decreases profit. At this point, we know that there is a quality monitoring and reporting system in place in the Saint-Gobain Shanghai Abrasives plant, however we are unaware how successful it is, other than their wish for it to be improved.

## ***2.6 Integrated Manufacturing Systems in China***

In the past 20 years the level of manufacturing production in China has increased dramatically. This stems both from the availability of cheap land and labor for foreign manufacturing firms looking to open Chinese manufacturing plants, and the inclusion of private, non state owned manufacturing companies in China. Inclusion of western business culture on manufacturing firms in China created an environment with competitive wages, not a standard wage for everyone, and promotions based on performance and experience, not simply on seniority, change the working culture. Along with these developments came the demand for

---

<sup>37</sup> Ibid.

<sup>38</sup> Ibid.

increased quality which led Chinese manufacturing firms to look toward integrated manufacturing systems for possible answers.

Integrated manufacturing systems rely on several factors; Total Quality Management (TQM), Real Time Monitoring Systems (RTMS), Manufacturing Execution Support systems such as Manufacturing Resource Planning (MRPII) and ERP, and Manufacturing Technology. TQM is an organizational culture that promotes total overall quality, and as little waste as possible. Real time monitoring systems and manufacturing execution support systems are typically bundled together in the form of MRPII and ERP systems. MRPII and ERP systems are tools that can help support TQM in an organization, by developing a scheduling system that utilizes the resources of the manufacturing system to their greatest effectiveness.

While integrated manufacturing systems are thought as the ideal manufacturing system, Chinese corporations have had a great deal more difficulty implementing these systems than their western counterparts<sup>39</sup>. These difficulties stem from many different sources which vary from organization fit with ERP systems, to the cultural differences that exist between the companies that build the integrated manufacturing tools, and the organizations that use them in other countries.

## ***2.7 Manufacturing Execution Support Systems***

While the integration and optimization of manufacturing ordering, scheduling, and production, has grown rapidly in the last decade, due in part to the advances made in information technology, its beginnings date back to the 1960s when “inventory control concepts such as reorder point system, customized software packages were designed to suit the requirements of

---

<sup>39</sup> Zhe Zhang et al., "A Framework of ERP Systems Implementation Success in China: An Empirical Study," *International Journal of Production Economics* 98, no. 1 (10/18 2005): 56-80.

manufacturing companies.<sup>40</sup> In the 1970's, the focus shifted to a practice called material requirement planning (MRP). This practice planned manufacturing processes by scheduling orders. This was done in order to control work in progress through proper timing of order placement. As technology advanced, so did the complexity of the scheduling and manufacturing control systems.

With increased integration in manufacturing comes the need for increased coordination between business and manufacturing processes. Manufacturing Execution Support Systems (MES) are systems which are equipped to collect and store all pertinent information from the manufacturing and business processes. "It is the purpose of an integrated manufacturing execution system to give support to the specific tasks and to collect all information from these tasks in a common database."<sup>41</sup>

### 2.7.1 *Enterprise Resource Planning (ERP)*

As the globalization of manufacturing and production has increased, so have expectations of customers for quickly delivered, quality parts. This need saw the development of practices such as lean principles, total quality management (TQM), and just-in-time (JIT) practices, to produce products as efficiently as possible with as little waste as possible. With the development of computer technologies, came the further development of production planning methods which led to the development of Enterprise Resource Planning<sup>42</sup>.

ERP systems are the software tools used to manage all the enterprise data, and to provide information to those who need it when they need it. These systems help organizations deal with their supply chain: receiving, inventory management, customer order management, production planning and managing, shipping,

---

<sup>40</sup> Mahesh Gupta and Amarpreet Kohli, "Enterprise Resource Planning Systems and its Implications for Operations Function," *Technovation* 26, no. 5-6 (2006/0)

<sup>41</sup> Andreas Schumann, "SAP-R/3 in Process Industries: Expectations, Experiences and Outlooks," *ISA Transactions* 36, no. 3 (1997): 161-166.

<sup>42</sup> Gupta and Kohli, "Enterprise Resource Planning Systems and its Implications for Operations Function,"

accounting, human resource management, and all other activities that take place in a modern business (Davenport, 1998b).<sup>43</sup>

This is achieved in ERP with the usage of modules. Modules measure and control different functional areas of the entire system, and then incorporate this data into the main ERP database.

Examples of these modules are:<sup>44</sup>

- FI – Financial Accounting
- CO - Controlling
- QM – Quality Management
- MM – Materials Management
- PP – Production Planning
- SD – Sales and Distribution
- PM – Plant Maintenance
- HR - Human Resources
- CA – Cross Application
- PO – Production Order Management

These operate to measure and report various aspects of the process to develop optimized production schedules.

### **2.7.1.1 SAP – R/3**

The most popular ERP system among manufacturing industries is SAP – R/3. It has been implemented at Saint-Gobain Shanghai plants. One of the reasons SAP is very popular is due to its production logistics suite which is based on Manufacturing Resource Planning (MRPII).

[SAP]...is able to create a master schedule due to its integration of sales forecasts, customer orders (sales and distribution), production using MRP, and procurement using materials management module. Further, Total Quality Management (TQM) is promoted using the quality management module<sup>45</sup>.

---

<sup>43</sup> Toni M. Somers and Klara G. Nelson, "The Impact of Strategy and Integration Mechanisms on Enterprise System Value: Empirical Evidence from Manufacturing Firms," *European Journal of Operational Research* 146, no. 2 (2003/4/16)

<sup>44</sup> Gupta and Kohli, "Enterprise Resource Planning Systems and its Implications for Operations Function,"

<sup>45</sup> Ibid.

Further SAP has many other capabilities in the areas of enterprise planning, which control production planning based on projected sales and human resource management. Another area where it is superior to its competitors is in product development, where SAP can prevent the manufacture of products that may be too expensive or unreasonable to manufacture. Production logistics such as JIT, which seeks to minimize inventory, and TOC, the theory of constraints which manages bottlenecks. Procurement techniques are easily determined by SAP, which determines quantities of raw material, and suppliers with reputations for providing quality raw materials.

SAP is a very powerful tool for the development of flexible production systems. SAP is able to process through financial, human resource, and manufacturing cycles to pick the manufacturing configurations and scheduling that will use the manufacturing to its greatest potential with the least amount of waste. By identifying areas where the process is unnecessarily slowed we will be able to improve the overall effectiveness of this manufacturing system.

### *2.7.2 Implementation Problems with ERP systems*

As the technology developed for companies to build their own ERP and production planning system, so did the market of prepackaged ERP solutions. These became very popular for several reasons, but largely due to the time, cost, and effort that a company must expend to design, build and implement such solutions on their own. Other factors that leant to the popularity of these systems were built in analysis software tools that came with many of the packages. While these generic ERP systems seemed like the easy way out for many manufacturing firms, they also came with many implementation struggles and unforeseen costs, and one study suggests that nearly  $\frac{3}{4}$  of all firms implementing ERP packages consider them to

be failures<sup>46</sup>. Simply put “An ERP implementation failure may be fatal to a firm: either wasting enormous sums of money or destroying the competitive advantage of the firm.<sup>47</sup>”

While there are two main approaches for aligning ERP and business system; forming the organization to fit the software, or forming the software to fit the organization, the former is often chosen. Business organizations are often molded to the ERP software, as ERP vendors fear that changing the software will adversely affect the performance of their product. Many of the problems, and failures organizations experience during ERP implementation stem from the organization’s failure to understand that the implementation of an ERP package is a total business reorganization, and not simply a software installation.

Coupled with business process change to align the organization functions with ERP, ERP adaptation is necessary to fill the gap between the functions of the ERP package and the needs of the organization<sup>48</sup>. According to Glass, ERP Adaptation can be broken into three categories; customization, extension, and modification<sup>49</sup>. Customization is the configuration of the software to meet the needs of the organization without changing the source code of the ERP package. Extension utilizes third party tools to interpret the raw ERP data; this method fills the gap between the functionality of the ERP package and the needs of the organization. Modification alters the source code of the ERP system, and is the highest level of ERP adaptation.

Despite the potential gains that manufacturing organizations stand to benefit from through the implementation of ERP systems, there is still a great deal of difficulty implementing

---

<sup>46</sup> Kyung-Kwon Hong and Young-Gul Kim, "The Critical Success Factors for ERP Implementation: An Organizational Fit Perspective," *Information & Management* 40, no. 1 (2002/10)

<sup>47</sup> Ibid.

<sup>48</sup> Ibid.

<sup>49</sup> Ibid.



these systems effectively. Without the proper preparation on the part of the Managing Executives of the firm, implementation time frames and budgets can spiral out of control.

### ***2.8 Previous WPI/HUST Saint-Gobain Project***

A Worcester Polytechnic Institute student, Nakhoon Kim, and two HUST students, Emily Lv and Young Xu, worked for Saint-Gobain in 2006 on a project involving recommending a new layout of one of its grinding wheel conveyor lines utilizing lean manufacturing principles. The then current layout was an archaic linear design that was highly inefficient. Saint-Gobain had a proposed improvement to the manufacturing process but its benefits had not been analyzed. The student team collected data for and analyzed the then current layout, the proposed design, as well as their own two proposed designs in terms of net gain for the company as well as their relative feasibilities. They concluded that one of their proposed designs would most beneficial for the manufacturing process. Saint-Gobain was pleased with the results of the application of their recommendations.

### **3. Methodology**

Upon arrival at St. Gobain in Shanghai, we were introduced to the company and its scope, and received more detailed information on St. Gobain Abrasives. In addition we were introduced to the products produced in the two Shanghai facilities. Along with the introductions came the project description. Beginning in the summer of 2005 St. Gobain Shanghai has been operating with the SAP R/3 ERP package, which was implemented without incident, although, not to its greatest potential. The summer of 2006 saw a Senior Major Qualifying Project by a team of students from Worcester Polytechnic Institute, and Huazhong University of Science and Technology. This project focused on redesigning the work cells on the manufacturing floor for improved effectiveness, and maximum efficiency.

This years project focuses on effective use of the SAP R/3 data. Effective use of this information has a great deal of potential in helping schedule manufacturing more effectively, and identifying problem areas in the manufacturing cycle. Currently St. Gobain has no efficient means of interpreting this data, so a third party ERP extension is necessary. We were given a Microsoft Access Database that was developed for use at the St. Gobain Abrasives manufacturing facility in the United Kingdom as an example of the functions that the Shanghai Operation would like to use. While there are more powerful and flexible means of developing a database to handle and interpret ERP data, Microsoft Access is desirable as it provides database management and development tools that do not require a great deal of programming skills, and is a flexible platform for future development. This project focuses on the development of databases for Order Tracking, Production Indicator Reports, and if time allows Rejection Analysis, based on the functionality of the UK database system.

### ***3.1 Identification of Problem***

To identify the problem, and develop a plan to for the project it was necessary to visit St. Gobain at the beginning of the project. At that time we asked many question on the current use of SAP data, and the implementation process. The visits included tours of the operation and several interviews with individuals who serve in the areas of production planning, production management, and rejection analysis. These interviews were conducted to understand the role that SAP has in the production system, and areas in the system that can be improved with the development of a third party SAP extension.

At the time of the interview we were given an Access Database that was developed for use in their UK Abrasives plant. We were asked to develop a system similar to this so that they will be able to easily and quickly obtain information regarding order loads, reject information, and order tracking information, items of information that are of great interest to St. Gobain Shanghai. In addition to the UK Access database they provided us with several spreadsheets into which planners and production managers manually input SAP data to retrieve key information for the Shanghai plant. It is the goal of this project to develop a software extension for SAP R/3 that will analyze, interpret, and display information that is critical to the improvement of the production system, and will utilize SAP R/3 data with greater effectiveness.


### ***3.2 Identification of Company Needs***

In order to better understand the goal of the project we first determined and analyzed the needs of the company. From our problem identification phase of the project it became very clear that the planning, production and quality managers at St. Gobain Shanghai need a tool to analyze SAP R/3 data. To complete this task we determined several steps that would guide us in identifying the company needs. These steps included:

- Functional analysis of the UK database to understand how production and planning managers at other St. Gobain facilities utilize the SAP data to improve their production
- Analysis of the Excel spreadsheets used in Shanghai to determine how the information is used currently and to identify where automation can be applied for automatic manipulation of SAP R/3 data
- Interviews to ascertain how much information they currently obtain from SAP

### 3.3 Discussion of Overall Project Plan

At the start of the project we discussed how we would approach this complex task. Since none of us had extensive experience using Microsoft Access, we decided that it was necessary to have both a quantitative and qualitative understanding of how the example UK database works. Coupled with this we learned those aspects of Access that would help us to understand how to build our database most effectively for the Shanghai



**Figure 1: Detailed Project Outline**

operation. Once we developed a good understanding of the skills and steps that were necessary to build a new database we developed the outline shown in Figure 1: Detailed Project Outline.

With this outline of the tasks and steps that would be necessary to complete the project we were

able to build a comprehensive schedule and accompanying Gantt chart to allow us to easily track progress and milestones visually.

### 3.3.1 *Problem Definition and Project Planning*

The first and most important step for this project was to quickly identify the problem, and then develop of a rigorous schedule that would allow the team to finish well within the project schedule. For this phase of the project the team spent 10 days developing and understanding the complexities of the project, and learning what skills were necessary to develop a new database that would function at least as well as the example database that was given to us by the UK facility. In this time the team split the five main areas of access, and each learned the skills that were necessary to create each set of database objects in the UK database system. By learning the skills that were necessary to create the UK system, we were able to effectively learn the necessary skills without wasting time learning skills and principles that would not be necessary for project completion. Further, by learning intimately how the database was created in the beginning of the project, we were able to make a realistic schedule that would allow us to finish the project within the given time frame.

### 3.3.2 *Examination of St. Gobain United Kingdom Database*

This phase of the project was crucial to the success of the project for two main reasons: examining this system would allow us to learn the skills necessary to complete the project, and it would give us a better understanding of how the information is processed in the database so that we can produce a similarly functioning database for the Shanghai operation. Simply put, the better that we understood the UK database, the easier and more efficiently the new database would be to create.

Based on our early knowledge of the complexity of the UK database we were able to develop a plan to systematically study the structure of the UK database. These steps included:

- Analysis of the UK database by using it extensively, and studying how it was intended to function
- Building flow charts illustrating the relationships between queries, tables and forms
- Mapping the UK database objects to understand the flow of information within the system
- Data analysis to understand the differences between the information that exists in the UK database, and the information provided to us by the Shanghai operation

These steps were developed in order to learn the necessary skills to develop the database for Shanghai. These steps were developed so that we would gain in our understanding in an organized, systematic manner.

#### 3.3.2.1 Functional Analysis of Saint Gobain United Kingdom (SGUK) Database

The first step in this process was to learn about the system by using it. By using the database, while studying advanced topics would allow us to learn the system quickly as it would allow us to learn only the skills that would be necessary for the completion of the database. In this step we formulated a list of all the functions that the UK database performed and analyzed whether it was necessary for the Shanghai version. In addition to allowing us to learn more quickly, this step in the process will allow us to identify areas in SGUK that could be improved for simpler, more intuitive use in Shanghai. This step is necessary for learning the skills to create a new database, and identifying ways to make the Shanghai database most effective.

### 3.3.2.2 Flow Charts of SGUK Database

The next step in this process was to build flow charts to graphically represent the relationships between queries, tables, forms, and reports. By creating flow charts relating the database objects we will organize visually the function of the database on a macroscopic level. Organizing the functions visually helped to better understand how the data is stored, manipulated, and presented through the functions of the database. Understanding how each aspect of the database interacts would make the process of designing a new database much easier, with less trial and error.

### 3.3.2.3 Mapping of SGUK Database

We decided that coupled along with flowcharts that mapped the function of the database, it would also be necessary to create more comprehensive “maps” of the structure. This was deemed necessary due to the intricacy and interdependence of the tables and queries. By understanding the structure and functions of each of the queries, tables, and macros, we would achieve a deep level of understanding of the database functions whereas flow charts would only permit a superficial understanding of the general operation.

This phase of the project was completed by carefully studying each of the 53 queries in the SGUK database, and mapping their function, and how they stored and transferred the data within the database. By completing this section we were able to design a database that would function with greater efficiency

### 3.3.2.4 Data Analysis

Comparing the data in the UK database to the data provided by Shanghai allowed us to construct the backbone of the database correctly. By looking at the fields of information from

the UK and Shanghai next to each other we were able to tell to what extent the databases would be similar. When a field was present in the UK version but not in the Shanghai version that had relationships that a query or table relied on we had to alter the design for the Shanghai database. In the inverse situation where there was field in the Shanghai version but not for the UK version we looked at how we could use that data to more effectively store data and relate tables and queries. An important note about how the Shanghai's data differed from the UK's data in regard to how to analyze it was that Shanghai's data came in five different files and the UK's only came in two. Knowing the data and its differences well was crucial to understanding how to build the new database's tables and queries.

### ***3.4 Project Schedule***

In order to accomplish the goals of the project in its limited time frame it was necessary to build a comprehensive schedule that was divided into four different phases of the project. The phases were developed as smaller goals whose sequential completion would lead to the total completion of the project. These phases covered the areas of:

- Problem Definition and Project Planning
- Examination of St. Gobain United Kingdom Database
- Database Design, Construction, and Testing
- Project Documentation

Based on these four phases we developed a comprehensive schedule that designated clearly the steps that would be necessary to complete the project, as well as assigned those areas to different individuals to distribute the work and share accountability. To organize this schedule we utilized Microsoft project to handle scheduling and develop Gantt charts to convey visually the process



that we developed to accomplish our goals, and our schedule. Figure 2: Gantt chart of project schedule, shows this schedule that we developed to keep track project process, and to identify milestones necessary to complete the project. Due to the level of understanding that we were able to attain before determining the plan for the rest of the project, we were able to produce a schedule that should require few revisions and updates.




Figure 2: Gantt chart of project schedule

### 3.5 Development of New Database

After studying the St. Gobain United Kingdom Database it was clear that the development of a new database that would be tailored to the needs of Shanghai was in order. It was determined that there were no sections of the UK database that would be suitable for use in a Shanghai database. The process that we undertook for studying the database allowed us to understand explicitly the database objects that would be necessary to build a database solution for St. Gobain Shanghai.

### 3.5.1 *Strategy*

The first step in this phase of the project was to create a database that would function similar to the UK database, with the functional requirements that were chosen specified by the company. As such we needed a great deal of information, both qualitatively on how they expected to use the database, and quantitatively with the actual data that we would work with. The qualitative understanding of the company's expectations was completed as part of the initial interviews with the company. The raw SAP data, which we would need to input into the database was much harder to obtain.

The strategy for designing the database was quite simple. Because we completed a thorough examination of the SGUK database, we had a comprehensive understanding of how the database objects should interact with each other. As a result of this we understood the elements that were necessary to build a functioning database. Since the structure of a database is dependent upon the information that get input into it, it was important that we understood what data we would have to input into the system. Since getting the exact information that we would be inputting into the database, we would need to create a generic solution, which would later be tailored to the actual data.

While it was not the ideal method for creating the database, this is the method that we were forced to adopt. First we created all the tables where the data would be stored and manipulated. Once the tables were in place we would be able to link tables of sample information. With the tables and information in place we then developed the queries that would be necessary for the database to work. As the queries were developed they were tested against using the sample data to ensure that they would work properly. Once the queries were complete the forms and reports would be created.

By constructing a database this way we would be able to ensure that the database would function properly once the proper data is input into the system. It also would allow for less time working with company employees since we would be able to tell them exactly the information that we would need from them in order for the system to work. This method would allow us to take as much time to build the database as needed in Wuhan, and then make only minor changes while in Shanghai to complete and implement the product.

## 4. Results and Analysis

This section documents both the end products of this project and the process that was followed to complete the project. This section will give an overview of the final database product, and will evaluate the methods that we utilized to complete the project.

### 4.1 *Intermediate Products*

The main goal of the project was to create a database for Saint-Gobain. This however was not the only product that we produced. There were several intermediate stages that required us to create something. These intermediate products include a map of the SGUK system, coupled with flow charts of SGUK database function. These two products helped us to ascertain exactly the methods that we would utilize for the development of the SGUK database. These products also directly influenced the development of the Shanghai database since we replicated and simplified many of the database elements that were used to create the United Kingdom database. These methods also help to expedite the process of database construction since we would learn only the methods and techniques that were absolutely necessary for the successful completion of the project.

#### 4.1.1 *Map of SGUK*

The map of the SGUK database allowed us to see how all the database objects fit together. The map was built in a word document. Every object instance is labeled with each of its fields and relationships. The map's contents were color coded, organized, and their type and relationships labeled. See **Appendix A: Map of St. Gobain UK Database** for the map of the UK indicator report. This map helped us later to determine the structure of the Shanghai database and the helped to ensure that we would include all of the necessary components to ensure that the

database we were working to create would function at least as well as it's UK counterpart.

Creating this map helped to visualize the connections between all of the queries, and to understand exactly how each query functioned to capture and manipulate the data.

#### 4.1.2 *Functional Analysis of SGUK*

In addition to the map of the queries and essential database objects, it was necessary to perform a functional analysis of the UK database. This was necessary because it helped us to identify areas that needed improvement for the Shanghai database as well as understand how the creators of the UK database intended for users to interact with it. As a result of this analysis we formulated a comprehensive list of the functions of the UK database. They are as follows:

- Display reports and graphs of:
  - **Orders**
  - **Paper Loads**
  - **In Process Loads**
  - **Produced Loads**
  - **Rejects**
- Weekly and Monthly Summaries
- Input regular data updates

The reports listed the data contained in their respective areas by both product group and bond group in separate reports with the same field for each. Every report contained the quantity of grinding wheels and their weight in kilograms. The **Orders** and **In Process Loads** reports contain the additional fields of order count. The **Paper Load** reports use the field **Group Range** as a sub category to have the data organized into. The **Group Range** field had the categories **Available Load** and **Forward Load**, which indicate whether all the required components are in stock and can begin the **In Process** stage.

The graphs all were formulated the same way, with the Y-axis containing the number of kilograms of grinding wheels in it's report's respective stage and the X-axis was the time in units


of weeks. The data points are derived from the weekly data from the respective product groups or bond groups.

The *input regular updates* function allowed data to be input on a regular schedule by selecting both the correct year week and year month that corresponds to the update date. The update function is contained on a separate page and is accessed using a button on the main menu of the UK database.

The function of weekly and monthly summaries displays the data from each of the different stages (Orders, Paper Loads, etc.) with the same fields that are contained in the respective reports. These summaries are displayed on one page so that it can be printed on one sheet of paper. An additional function of these summaries is that there is a drop down window where the week or month can be selected so that only the data for the selected date range would be used for that summary.

### 4.1.3 Flow Chart of Basic SGUK Function

The flow chart of the Saint-Gobain UK database was the visual linking of all the different parts of the database to each other. This particular flow chart contains macroscopic detail of the general functions of the database. This was used both as a tool to show the project sponsors in a



simplified manner how the database functions. This flow chart also acted as a means to help the team organize its efforts and better understand the steps that would be necessary to create the final product. The flow chart of the database can be seen in Figure 3. Database Relationships Flowchart. The specific relationships between the different objects present in the database are

delved into much detail in their specific objects' section, and acts as a means to understand the general function of the database.

## ***4.2 Development of New Database***

In the development of the new database for the Shanghai plant we looked at the needed functions and how to implement them best utilizing the different objects in Microsoft Access with the general template of the UK's database as the guideline. To determine the needed functions that would be necessary beyond the capabilities of the SGUK database we conducted interviews to understand how St. Gobain Shanghai currently manipulates and uses its ERP data. Upon further inspection it was found that the employees at St. Gobain Shanghai (SGS) currently input the necessary information from SAP R/3 into Excel spreadsheets manually.

Upon further inspection of the Excel spreadsheets, we found that there were some functions of the SGUK database that were not necessary in Shanghai. We also found that there were some features that would need to be included in Shanghai that were not considered in the UK. These fields included sorting orders into size ranges, and also by where in the production cycle the orders are. By studying the SGUK database and by conducting interviews with stake holders we were able to provide a database that would provide the most ideal functionality for the end users.

### ***4.2.1 Database Functions***

After analyzing whether or not all the same functions were required in the Shanghai database that were in the UK database we concluded that all the main functions were necessary. However, some of the details of the functions needed to be changed. The largest omission for the Shanghai database was the bond group category, because both product group and bond group were not necessary because of the fewer categories of products that the Shanghai plant produces.



This effectively reduced the number of reports and graphs by a factor of two, but did not change the number of kinds of graphs. One change for the In Process report is that the database will categorize the data by listing the grinding wheels by what product group they fall under, vitrified or organic, then by what stage they were in the manufacturing cycle and finally by their sizes. The other reports will only categorize their data by product group and size. The graphs were the same from the UK to the Shanghai. The weekly and monthly summaries remain largely unchanged, with the only change coming from the added fields that each report would also add. The input regular data updates function in the UK system was changed fairly thoroughly. The method of updating the data was moved to the main menu of the database and instead of selecting from drop down menus the correct month and week there was a graphic calendar that the user could interact with and select the day the update was for, since Shanghai used three data updates a week on a Monday-Wednesday-Friday schedule.

#### 4.2.2 *Database Objects*

There are five kinds of objects in Microsoft Access: tables, queries, forms, reports, and macros. These objects interact with each other to create a working database. The objects can be used different ways to create many different types of databases to fit the needs of any user.

##### **4.2.2.1 Tables**

A table is the essence of a database; it is the container where all the information is stored. There are three different types of tables: normal tables, link tables, and reference tables. Normal tables are tables that Microsoft Access builds and uses in storing information in the database both indefinitely and temporarily. Link tables connect to outside files and only store the

information about how to access and edit those files' data. Reference tables are a very unique form of normal table, which contain a fixed set of information that seldom, if ever, changes.

The Shanghai database has five original link tables that connect to the Microsoft Excel (.xls) files that SAP outputs. These tables are then accessed by make table queries that create new temporary tables that hold the information contained in the .xls SAP files. Then append queries add the newly created temporary tables' data into their five respective history tables, which contain all the data from the last three years. The history tables' data is then used to generate reports, graphs, and summaries of the data.

There are two different reference tables in the Shanghai database. The first one is Year Week, which contains all the weeks in the form of "2007-23" until 2012. The second is Year Month, which contains all the months in the form of "2007-10" until 2012. These tables function as reference points for queries to organize the data in a linear time line which is then represented on reports.

The UK database's table is very similar to the tables of Shanghai's database. The key difference is in the number of link tables. The SGUK database only uses two link tables that contain more fields of information than all five of the link tables in the Shanghai version. The reason for this difference is only because of the difference in formats of the ERP SAP data from each plant, with one using two output files and the other using five output files. One of the data fields not included in the Shanghai ERP SAP data was material group category, which eliminated the need for a reference table with all the different kinds of material groups contained.

#### **4.2.2.2 Queries**

Queries have many functions and serve as the backbone and circulatory system of the database. There are four different kinds of queries: append queries, make table queries, delete

queries, and select queries. Append queries add data from one table into another. Make table queries create new tables. Delete queries delete existing tables, or delete fields of information from selected tables. Select queries, when run, find information from tables and return the values to the place where the query was called from.

Shanghai's database has five make table queries that create temporary tables, which are filled with information that the make table queries take from the five original link tables. Append queries add the newly created temporary tables' data into history tables. Delete queries are called to delete the temporary tables so that they can be created again anew without potential lingering data causing numerical errors. There are select queries for each of the sub-forms in the weekly and monthly overviews. These select queries combine the data from the respective time length and feature those results in the sub-form.


The queries of the Shanghai database are very similar to the queries of the UK database. Several of the queries that the UK database utilized were useless in the Shanghai version, including one pertaining to bond groups, which aren't used in the Shanghai version. Interestingly the UK version had archaic queries that were not even used in its own system and we eliminated these.

#### **4.2.2.3 Forms**

Forms are the graphical user interfaces or menus the operator uses to navigate and execute the various functions of the database. There are three types of forms: primary forms, secondary forms, and sub-forms. The primary form is the form that is displayed when the database starts up and all the functions are either present on this page or are linked to from it. A secondary form is a form that is accessed by way of another form. Sub-forms are forms that are

present within another form's interface, which can be navigated with or without affecting the host form.

The primary form for Shanghai's database can be seen in Figure 4. Shanghai database Main Menu. It serves as the main menu and contains a majority of all the functions contained



**Figure 4. Shanghai database Main Menu**

within the database. The focus of the page is the two columns on the left containing the reports and graphs. The reports are in red and the graphs are in blue and they are labeled with the title of their respective report or graph. Clicking on each of these buttons will bring you to the desired report or graph. The calendar on this page functions as the method for updating the database

with new ERP SAP data. Double clicking on the current date will prompt the user with dialogue box asking whether or not to update the database with new data. The button on the top right of the screen opens the users manual for the database, in the form of a .PDF file. The label on the user's manual button conforms to the language of the computer it is on; the screenshot featured in Figure 4. Shanghai database Main Menu was taken on a Chinese language computer. The button on the top left of the screen exits the database and closes Microsoft Access. The buttons below the reports and graphs lead to the secondary forms weekly and monthly summaries.

The secondary forms Weekly Information Overview and Monthly Information Overview can be seen in Figure 5: Weekly Information Overview Secondary Form and Figure 6: Monthly Information Overview Secondary Form respectively. Both of these forms contain a drop down box with a selector for that particular week or month's data whose summary is desired. After a particular week or month is selected that data is displayed within the sub-forms in that same page. The weekly and monthly secondary forms display data in six and seven sub-forms respectively. These sub-forms display the same fields that the reports do, but they do not break the data into categories of size (and the current process for the In Process stage) like the reports do.

EXIT - 退出 Weekly Information Overview - 总览

Sunday, July 29, 2007

Select Year & Week: **2007-30**

**Inputs 最新订单**

Report Groups	Input QTY	Input Kgs	Input Count
0	114	4,583.00	9
V	15,516	36,731.00	437

**Loads - 未投**

Report Groups	Load QTY	Load Kgs	Load Count
0	10,984	58,767	152
V	277,734	433,426	5,572

**In Process - 在线**

Report_Groups	InProcess QTY	InProcess Kgs	InProcess Count
0	6,074	37,968	142
V	247,097	392,912	6,533

**OutPuts - 入库**

Report Groups	Output QTY	Output Kgs
V	14,763	50,278

**Reject Values - 废品**

Report Groups	Rejected QTY	Rejected Kgs
V	116	41.00

**Rejects % - 废品率**

Report Groups	Reject %
V	0.08%

Figure 5: Weekly Information Overview Secondary Form

EXIT - 退出 Monthly Information Overview - 总览

Selected Month: **2007-07**

Manufacturing Inputs - 最新订单				Manufacturing Rejects - 废品			
ReportMonth	Report_Groups	Input Qty	Input Kgs	ReportMonth	Report_Groups	Reject Qty	Reject Kgs
2007-07	0	114	4,583.00	2007-07	V	116	41.00
2007-07	V	15,516	36,731.00				

Paper Loads - 未投				Reject % By Product Group - 分类计算废品率	
ReportMonth	Report_Groups	Load Qty	Load Kgs	Report_Groups	Reject %
2007-07	0	10,984	58,767.00	V	0.08%
2007-07	V	277,734	433,426.00		

In Process Loads - 在线				Overall Reject % - 废品总计		
ReportMonth	Report_Groups	In Process Qty	In Process Kgs	Total Out Kgs	Total Rej Kgs	Reject %
2007-07	0	6,074	37,968.00	50,278	41	0.08%
2007-07	V	247,097	392,912.00			


Manufacturing Outputs - 入库			
ReportMonth	Report_Groups	Qty Out	Out Kgs
2007-07	V	3,612	2,078.00
2007-07	V	8,689	10,236.00
2007-07	V	2,251	36,216.00
2007-07	V	180	1,221.00

Monthly Reject % Graph

Figure 6: Monthly Information Overview Secondary Form

The Monthly Information Overview secondary form also contains a link to a report that shows the monthly reject percentage.

The forms of the UK version and Shanghai version varied significantly. The primary form for the UK database was poorly laid out and caused confusion to new users and can be seen in Figure 7. The buttons for reports and graphs received the greatest overhaul by being reorganized and eliminating unnecessary buttons. Very few similarities can be seen between the primary pages of each of the databases now. The UK version had a separate secondary form for importing new data to the database, which was very difficult to use since it expected the user to know what week number referred to what month number. This additional form was eliminated by the use of the calendar on the primary page of the Shanghai database. All labels in the



**Figure 7. UK Main Menu Primary Form.**

Shanghai forms were translated into Chinese to make the database have bilingual capabilities.

The UK version had many instances of using inconsistent naming practices that created difficulties for the readers of the forms, as well as the resulting reports. The secondary forms and their sub-forms for weekly and monthly overviews remain the same as the UK version.

#### 4.2.2.4 Reports

Reports are where the data is organized for the purpose of analyzing a particular section of data. There are two types of reports: traditional reports and graph reports, here after referred to as reports and graphs. Both types display data but do so in different ways. Reports list data in text form within the format of columns and rows. Graphs display data graphically ranging from pie charts, bar graphs, and x-y data point.

Shanghai's reports are in the form of a series of pages displaying information within a week time frame and data associated with the purpose of the report. For instance the In Process report, as seen in **Error! Reference source not found.**, categorizes the data by listing the grinding wheels by what product group they fall under, vitrified or organic, then by what stage they were in the manufacturing cycle and finally by their size. The other reports will only categorize their data by product group and size. All the reports contain the weight in kilograms of the grinding wheels and the number produced. The Order Inputs and In Process Load also contain the field with the number of orders of grinding wheels.

Shanghai's graphs were all formulated the same way, with the Y-axis containing the number of kilograms of grinding wheels in its reports respective stage and the X-axis was the time in units of weeks. The data points are derived from the weekly data from the product groups. Figure 10 shows an example graph of the In Process Loads.




### In-Process by Product Group - 在线订单

2007年7月26日

Year Week 年周	Product Group	Status 加工状态	Size Range 尺寸类型	OutStandingQTY 数量	Outstanding Kgs 重量	Outstanding Ords
07-30 Wed	o	1-加工	L	73	5,431	12
			M	2	4	1
			M-L	119	2,611	14
			S	1,476	1,819	14
			toolroom	50	57	1
			<b>Manu_Status Total : 按状态汇总:</b>			
07-30 Wed	o	2-窑炉	L	105	8,812	15
			M	25	387	3
			M-L	119	2,611	14
			S	1,878	2,156	17
			toolroom	50	57	1
			<b>Manu_Status Total : 按状态汇总:</b>			
07-30 Wed	o	3-成型	L	105	8,812	15
			M	25	387	3
			M-L	119	2,611	14
			S	1,878	2,156	17
			toolroom	50	57	1
			<b>Manu_Status Total : 按状态汇总:</b>			

**Figure 8 In Process Shanghai Report**



2007年7月26日

Year & Week

**Figure 9: In-Process Graph**

### In-Process by Product Group

Thursday, July 26, 2007

Year Week	Product Group	Outstanding Ords	Outstanding QTY	Outstanding KGS
2003-34	Rubber	114	24851	7,398
2003-34	Vit & Res	898	23940	123,871
<b>Week Total InProcess :</b>		<b>1,012</b>	<b>48,791</b>	<b>131,269</b>
2003-36	Rubber	136	8585	8,014
2003-36	Vit & Res	805	16734	138,445
<b>Week Total InProcess :</b>		<b>941</b>	<b>25,319</b>	<b>146,459</b>
2003-37	Rubber	120	9438	11,279
2003-37	Vit & Res	760	26038	146,578
<b>Week Total InProcess :</b>		<b>880</b>	<b>35,476</b>	<b>157,857</b>
2003-38	Rubber	98	8204	16,999
2003-38	Vit & Res	705	24097	131,852
<b>Week Total InProcess :</b>		<b>803</b>	<b>32,301</b>	<b>148,851</b>
2003-39	Rubber	108	6342	20,089
2003-39	Vit & Res	732	20664	148,768
<b>Week Total InProcess :</b>		<b>840</b>	<b>27,006</b>	<b>168,857</b>

**Figure 11. In Process UK Report**

The reports of Shanghai are very similar to those of the UK. With the addition of only a few fields to organize the data into the reports are nearly the same. One obvious difference is the inclusion of Chinese language translations to the English text in the Shanghai version. Another difference is the appearance of the reports with a striking improvement in the readability in the Shanghai version. The In Process report for the UK can be seen in **Error! Reference source not found.** and can be compared to the Shanghai version in **Error! Reference source not found.**

The graphs in the Shanghai version are identical to the graphs in the UK version with the exception of the inclusion of Chinese translations in the labels.

#### **4.2.2.5 Macros**

Macros, short for macro-instruction, are the helpers of the database world. Macros allow multiple functions to be run at once within a predefined order. Some examples of the functions they can trigger are: running queries, open a message box, open a report, select an object, or create a form.

The macros within the Shanghai database are used solely for the process of updating the information within the database. The macros trigger a series of queries that include make table queries, link table queries, append queries, and delete table queries. This series of queries act to take the information from the external data files and add them to temporary tables and then append them onto the long term data tables and finally delete the temporary tables. The Shanghai database's macros are for all practical purposes identical to the UK database's macros. The only differences are their logical ordering of the query operations.

#### **4.2.3 Product Users**

This database will be used primarily by the production scheduling manager at the Shanghai plant. She will input data three times a week into this database. This process will take about thirty minutes, whereas it previously took her approximately two hours by hand in Microsoft Excel. The reports and graphs will be prepared for the plant manager after the regular data updates. The reports and graphs will then be analyzed and changes implemented to cope with changing supply and demand as well as provide insight as to where bottlenecks or increased defects are occurring in the production cycle.

#### 4.2.4 *Users Manual*

We produced a user's manual for the benefit of the users of the database as well as providing the ability to edit and/or upgrade the database to display different data or create different functions for the database. The primary function of the user's manual was to provide exclusively Chinese employees with the information needed to run and troubleshoot the database correctly, so the organization of the user's manual was built utilizing that fact. The important areas were then translated into English. The user's manual is provided in.

## 5. Conclusions

The ineffective utilization of Saint-Gobain Abrasives Shanghai's ERP SAP data was solved by our providing a database application that automated the processes previously done by hand. By creating a database that creates reports, graphs, and summaries the management will be able to cope with changing supply and demand, identify problem areas in the manufacturing system, and gain insight into how and where to apply lean manufacturing principles. The current practice of manually summarizing the data by hand taking an estimated two hours will be eliminated and replaced with a process that should take well below thirty minutes and will provide much more valuable insight into the status of the plant at the various stages from orders to manufacturing to rejects.

The project team fulfilled its project objectives through tight adherence to its schedule, and thorough problem identification early in the term of the project to attempt to avoid oversights that would prevent project completion. The objectives, and final product, were met and completed by clearly identifying the problem, systematically analyzing the example database and pragmatically learning the skills that would be necessary to complete the project. Successful execution of an aggressive project schedule would allow plenty of time for completion and the troubleshooting of possible errors.

After delivering the database application to the plant in Shanghai we received some valuable feedback on how well it suits their needs. Some of the positive comments we received translated from Chinese include: "this database system is quite good," "the menu is beautiful and convenient," and "the logic of the queries and table design is clear and rational." They did express some concern by saying "the data will still need to be confirmed" by testing over the

next couple weeks, but the production scheduling manager did feel comfortable saying that she “believes that it will work correctly.”

The Shanghai plant should expand this database to include the areas of tracking analysis and rejection analysis. Tracking analysis would provide detailed information and insight into how individual orders progress through the plant as well as timeline of needed and collected raw materials. Rejection analysis would provide detailed information into the causes of rejects and where they were occurring in the manufacturing line. It was out of our projects scope to include these additional functions due to the time restrictions of our seven week project.

Through the process of going through our objectives to solve problem the company’s problem of poorly utilized ERP SAP data we learned many Chinese cultural values and traditions from our partners, our sponsoring company, the advising professors, and through our day-to-day activities. Our Chinese partners gained a great deal of insight into how American students approach a problem and their organized way of looking at it from the macroscopic level. This experience of undergraduate students from American and Chinese universities working on a real world project for an international company made this a unique cross-cultural experience.

## Appendix A: Map of St. Gobain UK Database

Indicator Product

Part One

Two original tables: LoadInProgress, Paper load

The definition of four Macros:

(1) Run\_InProcess\_Load\_Update(use the command of OpenQuery):

Import\_new\_LoadInProgress(Generate Table query)  
Create\_Temp\_InProcess(Generate Table query)  
Delete\_InProcess\_entry(delete query)  
Append\_InProcess\_Hist(append query)

(2) Run\_Paper\_Input\_Update(use the command of OpenQuery):

Create\_Temp\_input(Generate Table query)  
Delete\_Input\_entry(delete query)  
Append\_Input\_Hist(append query)

(3) Run\_Paper\_Load\_Update(use the command of OpenQuery):

Import\_new\_PaperLoad(Generate Table query)  
Create\_Temp\_Load(Generate Table query)  
Delete\_Load\_entry(delete query)  
Append\_Load\_Hist(append query)

(4) Run\_Service\_Update(use the command of OpenQuery):

Import\_new\_MTO\_Service(Generate Table query)  
Import\_new\_MTS\_Service(append query)  
Delete\_Service\_entry(delete query)  
Create\_Temp\_Service(Generate Table query)  
Append\_Service\_Hist(append query)

### 各个表中的数据项

**Gross\_Output\_Daily:** (ReportMonth, ReportWeek, ReportDay, Product\_Group, Monthly\_Groups, Main\_Report\_Groups, SumOfQtyOut, OutKgs)

**Gross\_Output\_History:** (ReportMonth, ReportWeek, Product\_Group, Monthly\_Groups, Main\_Report\_Groups, SumOfQtyOut, OutKgs)

**Material\_Groups:** (Material Group, ProdType, Grit, Dimensions, Product\_Group, Main\_Report\_Groups, Stafford\_Manuf\_Flag)

**InProcess\_Load\_History:** (ReportMonth, ReportWeek, Product\_Group, OutstandingQTY, OutstandingWeight, OutstandingCount)

**Temp\_InProcess\_\_Data:** (ReportMonth, ReportWeek, Product\_Group, Stafford\_Manuf\_Flag, OrderQty, Outstanding Qty, Net Weight Pwheel, OutstandingWeight)

**New\_load\_InProcess:** (ReportMonth, ReportWeek, Product\_Group, Material Group, Product type, Product Line, Order, Order Type, Strategy Grp, Material, MatDesc, Net

Weight Pwheelx, Main\_Report\_Groups, Outstanding Qtyx, OrderQtyx,  
OutstandingWeight, Stafford\_Manuf\_Flag)

**LoadInProcess:**( Material Group, Product type, Product Line, Order, Order Type,  
Strategy Grp, Material, MatDesc, Net Weight Pwheel, Outstanding Qty, OrderQty)

**Paper\_Load\_History:** (ReportMonth, Report\_Year\_Week, Product\_Group, Range,  
Load\_KGS, Load\_QTY, Load\_Count)

**Temp\_Load\_Data:** (ReportMonth, ReportWeek, Product\_Group, Range,  
BasicStartweekYR, TarQty, tot\_net\_weight, Stafford\_Manuf\_Flag, ThisWeek)

**New\_Paper\_load:**( PO / PLN Order, Status, Order type, Basic start, Created On, Actual  
release, Material Group, Material, Mat\_Desc, Number of Records, TargetQty,  
NetWeightKGS, checknet, nweight, TarQty, tot\_net\_weight, Stafford\_Manuf\_Flag)

**Paper load:**( Order, Sales document, Created On, Basic start, Actual release, BW Status:  
SYSO, Order type, Material Group, Material, Mat\_Desc, Number of Records, Target  
Quantity, Net Weight Pwheel)

**Paper\_Input\_History:** (ReportMonth, ReportWeek, Product\_Group, InputQTY,  
InputWGHT, InputCOUNT)

**Temp\_Input\_Data:** (ReportMonth, ReportWeek, Product\_Group, inputweek, TarQty,  
tot\_net\_weight, Stafford\_Manuf\_Flag)

**Reject\_History:** (ReportMonth, ReportWeek, Product\_Group, Main\_Report\_Groups,  
ScrapQty, ScrapKgs)

**Reject\_History\_Daily:** (ReportMonth, ReportWeek, ReportDay, Product\_Group,  
Main\_Report\_Groups, ScrapQty, ScrapKgs)

**Year\_Month:**(Year\_Week)

**Year\_Week:** (Year\_Week)

## Part Two

寻找查询数据的来源

五个追加查询

**Append\_InProcess\_Hist**(append query)

**From** Temp\_InProcess\_Data(table) **to** InProcess\_Load\_History(table)

**Append\_Input\_Hist**(append query)

**From** Temp\_Input\_Data(table) **to** Paper\_Input\_History(table)

**Append\_Load\_Hist**(append query)

**From** Temp\_Load\_Data(table) **to** Paper\_Load\_History(table)

**Append\_Service\_Hist**(append query)

**From** Temp\_Service(table) **to** Service\_History(table)

**Import\_new\_MTS\_Service**(append query)

**From** Service\_MTS(table) **to** New\_Customer\_Service(table)

四个删除查询

**Delete\_InProcess\_entry**(delete query)

**From** InProcess\_Load\_History(table)

**Delete\_Input\_entry**(delete query)



**From** Paper\_Input\_History(table)  
**Delete\_Load\_entry**(delete query)  
**From** Paper\_Load\_History(table)  
**Delete\_Service\_entry**  
**From** Service\_History(table)

#### 十个生成表查询

**check\_inputs**(没有实际用处)

**From** Material\_Groups(table), New\_Paper\_load(table) **When** Stafford\_Manuf\_Flag="Y"  
**and** Format(CVDate([Created On]),"yyyy\-ww")=Format(Now()-7,"yyyy\-ww")  
**to** Temp\_Input\_Data(table)

**check\_inputs\_new**(没有实际用处)

**From** Material\_Groups(table), New\_Paper\_load(table) **When** Stafford\_Manuf\_Flag="Y"  
**and** Format(CVDate([Created On]),"yyyy\-ww")=Format(Now()-7,"yyyy\-ww")  
**to** Temp\_Input\_Data(table)

**Create\_Temp\_InProcess**

**From** Material\_Groups(table), New\_load\_InProcess(table) **When** Stafford\_Manuf\_Flag="Y"  
**to** Temp\_InProcess\_Data(table)

**Create\_Temp\_input**

**From** Material\_Groups(table), New\_Paper\_load(table) **When** Stafford\_Manuf\_Flag="Y"  
**and** Format(CVDate([Created On]),"yyyy\-ww")=Format(Now()-7,"yyyy\-ww")  
**to** Temp\_Input\_Data(table)

**Create\_Temp\_Load**

**From** Material\_Groups(table), New\_Paper\_load(table) **When** Stafford\_Manuf\_Flag="Y"  
**to** Temp\_Load\_Data(table)

**Create\_Temp\_Service**

**From** New\_Customer\_Service(table)  
**to** Temp\_Service(table)

**data\_check**(没有实际用处)

**From** Material\_Groups(table), New\_Paper\_load(table) **When** Stafford\_Manuf\_Flag="Y"  
**to** Temp\_Load\_Data(table)

**Import\_new\_LoadInProcess**

**From** Material\_Groups(table), LoadInProcess(table)  
**to** New\_load\_InProcess(table)

**Import\_new\_MTO\_Service**

**From** Service\_MTO(table)  
**to** New\_Customer\_Service(table)

**Import\_new\_PaperLoad**

**From** Material\_Groups(table), Paper load(table) **When** [Paper load].[Created On] <>"#"  
**to** New\_Paper\_load(table)

## 选择查询

Import\_new\_LoadInProgress\_check(没有实际用处)

**From** Material\_Groups(table), LoadInProgress (table)

Import\_new\_PaperLoad\_Check(没有实际用处)

**From** Material\_Groups(table), Paper load(table) **When** [Paper load].[Created On] <>"#"

InProcess\_Load\_Monthly

**From** Inprocess\_monthly\_link(select query)

Inprocess\_monthly\_link

**From** InProcess\_Load\_History(table), main\_grp\_qry(select query)

Inprocess\_rpt\_overview

**From** InProcess\_Load\_History(table), main\_grp\_qry(select query)

**When** ReportWeek= [Forms]![weekly\_Info\_Overview]![selyrwk]

Input\_rpt\_Monthly

**From** Paper\_Input\_History (table), main\_grp\_qry(select query)

input\_rpt\_overview

**From** Paper\_Input\_History (table), main\_grp\_qry(select query)

Load\_Report\_Monthly\_link

**From** Paper\_Load\_History (table), main\_grp\_qry(select query)

Load\_rpt\_overview

**From** Paper\_Load\_History (table), main\_grp\_qry(select query)

Loads\_Monthly\_Rpt

**From** Load\_Report\_Monthly\_link(select query)

main\_grp\_qry

**From** Material\_Groups(table)

Output\_rpt\_Monthly

**From** Gross\_Output\_History (table), main\_grp\_qry(select query)

Output\_rpt\_Monthly2

**From** Gross\_Output\_History (table)

Output\_rpt\_overview

**From** Gross\_Output\_History (table), main\_grp\_qry(select query)

Rej\_rpt\_Monthly

**From** Reject\_History (table)

Rej\_rpt\_Monthly2

**From** Reject\_History (table)

Rej\_rpt\_overview

**From** Reject\_History (table) , main\_grp\_qry(select query)

Reject\_%\_Graph(没有实际用处)

**From** Output\_rpt\_Monthly2(select query), Rej\_rpt\_Monthly2(select query)

Service\_OnTime\_Monthly

**From** Service\_History (table) , service\_sum\_OnTime\_month(select query)

Service\_RPT\_overview

**From** Service\_History (table) ,service\_sum\_grp(select query) ,service\_sum\_OnTime(select query)  
**When** ReportWeek= [Forms]![weekly\_Info\_Overview]![selyrwk]

service\_sum\_grp

**From** Service\_History (table)

service\_sum\_OnTime

**From** Service\_History (table) **When** Delayed\_Working\_Week\_Range= "On Time"

service\_sum\_OnTime\_month

**From** Service\_History (table) **When** Delayed\_Working\_Week\_Range= "On Time"

Servive\_OnTime\_qry

**From** Service\_History (table), service\_sum\_OnTime(select query)

*Part Three*

寻找窗体的数据来源

Gross\_Output\_subform

**Select from** input\_rpt\_overview(select query)

InProcess\_Monthly\_Subform

**Select from** InProcess\_Load\_Monthly(select query)

InProcess\_rpt subform

**Select from** Inprocess\_rpt\_overview(select query)

input\_rpt subform

**Select from** input\_rpt\_overview(select query)

Inputs\_rpt\_Monthly Subform

**Select from** Input\_rpt\_Monthly(select query)

Load\_rpt subform

**Select from** Load\_rpt\_overview(select query)

Loads\_Monthly\_Subform

**Select from** Loads\_Monthly\_Rpt(select query)

Monthly\_Reports\_Data

**Select from** Input\_rpt\_Monthly(select query), Loads\_Monthly\_Rpt(select query),  
InProcess\_Load\_Monthly(select query), Output\_rpt\_Monthly(select query),

**Rej\_rpt\_Monthly**(select query), **Output\_rpt\_Monthly2**(select query),  
**Service\_OnTime\_Monthly**(select query), **Rejects\_Monthly\_Graph\_%**(report form)

**Output\_rpt\_Monthly** subform

Select from **Output\_rpt\_Monthly**(select query)

**OutPut\_rpt\_subform**

Select from **Output\_rpt\_overview**(select query)

**rej%month\_tot\_sub**

Select from **Output\_rpt\_Monthly2**(select query), **Rej\_rpt\_Monthly2**(select query)

**Reject%\_subform**

Select from **Rej\_rpt\_overview**(select query), **Output\_rpt\_overview**(select query)

**Reject%sub\_Month**

Select from **Output\_rpt\_Monthly2**(select query), **Rej\_rpt\_Monthly2**(select query)

**Reject\_Output\_subform**

Select from **Rej\_rpt\_overview**(select query)

**Rejects\_Monthly\_Subform**

Select from **Rej\_rpt\_Monthly**(select query)

**Service\_OnTime\_Monthly** subform

Select from **Service\_OnTime\_Monthly**(select query)

**Service\_rpt\_subform**

Select from **Service\_RPT\_overview**(select query)

**weekly\_Info\_Overview**

Select from **input\_rpt** subform(form), **Load\_rpt** subform(form), **InProcess\_rpt** subform(form), **OutPut\_rpt\_subform**(form), **Reject\_Output\_subform**(form), **Service\_rpt\_subform**(form), **Reject%\_subform**(form)

**Weekly\_Update**

关闭窗口

## Part Four

**寻找报表数据的来源**

**InProcess\_BondGRP\_Graph**

**From** **InProcess\_Load\_History**(table)

**InProcess\_BondGRP\_Report**

**From** **InProcess\_Load\_History**(table)

**In-Process\_ProdGRP\_Graph**

**From** **InProcess\_Load\_History**(table)

**InProcess\_ProdGRP\_Report**

**From** **InProcess\_Load\_History**(table)

**Input\_BondGRP\_Graph**

**From** **Paper\_Input\_History** (table)

**Input\_BondGRP\_Report**

**From** **Paper\_Input\_History** (table)

**Input\_ProdGRP\_Graph**

**From** **Paper\_Input\_History** (table)

Input\_ProdGRP\_Report  
From Paper\_Input\_History (table)

Load\_BondGRP\_Graph  
From Paper\_Load\_History (table)  
Load\_BondGRP\_Report  
From Paper\_Load\_History (table)  
Load\_ProdGRP\_Graph  
From Paper\_Load\_History (table), main\_grp\_qry(select query)  
When Range "< = to 6 weeks Load" Or <="This Week Availabl"  
Load\_ProdGRP\_Report  
From Paper\_Load\_History (table), main\_grp\_qry(select query)

OutPuts\_BondGRP\_Graph  
From Gross\_Output\_History (table)  
OutPuts\_BondRP\_Report  
From Gross\_Output\_History (table)  
OutPuts\_ProdGRP\_Graph  
From Gross\_Output\_History (table) , main\_grp\_qry(select query)  
OutPuts\_ProdGRP\_Report  
From Gross\_Output\_History (table) , main\_grp\_qry(select query)

Rej\_%\_Monthly\_Graph

Rejects\_BondGRP\_Graph  
From Reject\_History(table)  
Rejects\_BondRP\_Report  
From Reject\_History(table)

Rejects\_Monthly\_Graph\_%

Rejects\_ProdGRP\_Graph  
From Reject\_History(table) , main\_grp\_qry(select query)  
Rejects\_ProdGRP\_Report  
From Reject\_History(table) , main\_grp\_qry(select query)

Service\_Graph  
Service\_Graph\_MTO  
Service\_Graph\_MTS  
Service\_Graph\_test  
Service\_MTO\_MTS\_Report  
From Service\_History (table), service\_sum\_OnTime(select query), service\_sum\_grp(select query)  
Service\_Ontime\_Report  
From Service\_History (table), service\_sum\_grp(select query)  
When Delayed\_Working\_Week\_Range= "On Time"

## Part Five

### 主窗体中的各命令按钮

#### Reports

Input (Prod Grp) **From** Input\_ProdGRP\_Report(report form)  
Input (Bond Grp) **From** Input\_BondGRP\_Report(report form)  
Paper Load (Prod Grp) **From** Load\_ProdGRP\_Report(report form)  
Paper Load (Bond Grp) **From** Load\_BondGRP\_Report(report form)  
In-Process (Prod Grp) **From** InProcess\_ProdGRP\_Report(report form)  
In-Process (Bond Grp) **From** InProcess\_BondGRP\_Report(report form)  
OutPuts (Prod Grp) **From** OutPuts\_ProdGRP\_Report(report form)  
OutPuts (Bond Grp) **From** OutPuts\_BondRP\_Report(report form)  
Rejects (Prod Grp) **From** Rejects\_ProdGRP\_Report(report form)  
Rejects (Bond Grp) **From** Rejects\_BondRP\_Report(report form)

#### Graphs

Input (Prod Grp) **From** Input\_ProdGRP\_Graph(report form)  
Input (Bond Grp) **From** Input\_BondGRP\_Graph(report form)  
Paper Load (Prod Grp) **From** Load\_ProdGRP\_Graph(report form)  
Paper Load (Bond Grp) **From** Load\_BondGRP\_Graph(report form)  
In-Process (Prod Grp) **From** In-Process\_ProdGRP\_Graph(report form)  
In-Process (Bond Grp) **From** InProcess\_BondGRP\_Graph(report form)  
OutPuts (Prod Grp) **From** OutPuts\_ProdGRP\_Graph(report form)  
OutPuts (Bond Grp) **From** OutPuts\_BondGRP\_Graph(report form)  
Rejects (Prod Grp) **From** Rejects\_ProdGRP\_Graph(report form)  
Rejects (Bond Grp) **From** Rejects\_BondGRP\_Graph(report form)

#### VIEW Weekly Infomation Overview

**From** weekly\_Info\_Overview (form)

#### Monthly Reports Data

**From** Monthly\_Reports\_Data(form)

#### Import Weekly Data

**From** Updates(form)

#### Monthly Reject % Graph

**From** Rejects\_Monthly\_Graph\_%(report form)

#### Updates

*Update Weekly Loads && Inputs From Run\_Paper\_Load\_Update(macro),  
Run\_Paper\_Input\_Update(macro)*

Update Weekly In Process **From** Run\_InProcess\_Load\_Update(macro)

HIDDEN \_ Update Weekly Customer Service **From** Run\_Service\_Update(macro)

## Part Six

Material\_Groups(table)中用Material Group字段与其他表进行连接, 并使用Product\_Group, Main\_Report\_Groups字段

导入文件LoadInprocess.txt 里面的数据项在未清定单状态—生产计划5-11能够找到, 除Material Group, Product Line, Product type, Strategy Grp外。

导入文件Paper Load.txt 里面的数据项在未清定单状态—生产计划5-11能够找到, 除Actual release, BW Status: SYSO, Material Group, Number of Records, Target Quantity外。

Gross\_Output\_History, Reject\_History 两个表中的数据怎么更新, 可能是依靠Gross\_Output\_Daily, Reject\_History\_Daily 两个表来人工输入。

main\_grp\_qry选择查询中的结构和数据是固定的, 可以预先人工输入。

There is a problem with the report form named [Rej\\_%\\_Monthly\\_Graph](#)

## Appendix B: St. Gobain Shanghai Users Manual

# 软件使用说明书 (Software User Documentation)

## 目录(Table of Contents)

一,软件介绍(Introduction).....	3
二,软件使用者说明(Information for use of the documentation).....	4
1.对于一般用户(for end-users).....	4
2.对于系统管理员(for system administrators).....	4
1.系统安装(How to install the system).....	4
2.系统维护和升级(How to maintain and update the system).....	4
三,软件操作流程(Procedures).....	8
1.初始化(Initialization).....	8
2.更新数据(Update data).....	11
四,常见错误及解决方法(Error messages and problem resolution).....	15
1.更新时弹出如图4-1所示窗口,更新后“周投订单”报表出错.....	15
2.更新时弹出如图4-2所示窗口.....	16
3.更新时弹出如图4-4所示窗口,单击确定后,弹出如图4-5所示窗口,显示“操作失败”.....	17

## 一,软件介绍(Introduction)

本软件是为上海圣戈班磨料磨具公司开发的数据库管理软件.本软件以Microsoft公司的Office 2003组件中的Access 2003数据库开发软件为设计平台,参照了UK Saint-Gobain 公司的数据库管理软件,根据上海圣戈班公司的需求和现存报表的形式,重新构建数据库系统而开发出来的.

本软件提供了数据的录入,更新和查询的功能,并以报表和图表的形式显示出来,可以减少员工制作报表的时间和方便管理者查阅数据并指导生产.

The function of this Microsoft Access program is provide Saint-Gobain Shanghai with data management and summaries. It produces reports and graphs in the areas of orders, paper loads, in process, manufacturing outputs, and rejects. It also shows summaries of both weekly and monthly data in all areas.

This Microsoft Access database provides management with the ability to see in both reports and graphs the pertinent information about the grinding wheels at each phase.

## 二,软件使用者说明(Information for use of the documentation)



## 1.对于一般用户(for end-users)

对于员工,请按照本说明书第三章“软件操作流程”所示的步骤初始化和更新数据。

对于管理者(部门经理),打开本软件后,直接在主窗体中选择所需的报表,图表及查阅历史数据。

## 2.对于系统管理员(for system administrators)


### 1.系统安装(How to install the system)

只需安装Microsoft Office 2003 中的数据库软件Access 2003,即可打开本软件

### 2.系统维护和升级(How to maintain and update the system)

使用前先将本软件备份,以免误操作造成系统故障而无法复原。

本数据库使用了表,查询,窗体,报表和宏共五类对象。表有19个,其中包含5个链接表,如图2-1所示,可以根据需求删减。



对象	名称	说明	修改	创建
表	使用设计器创建表			
表	使用向导创建表			
表	通过输入数据创建表			
表	all orders		2007-7-24 下午 05:4...	2007-7-24 下午 05:4
表	CNF		2007-7-24 下午 05:4...	2007-7-24 下午 05:4
表	CUST		2007-7-24 下午 05:4...	2007-7-24 下午 05:4
表	Gross_Output_History		2007-7-18 下午 12:0...	2007-7-4 上午 09:08
表	InProcess_Load_History		2007-7-22 上午 11:1...	2007-7-4 上午 09:12
表	Material		2007-7-4 下午 11:33:52	2007-7-4 上午 09:15
表	New_all_order		2007-7-24 下午 05:4...	2007-7-24 下午 05:4
表	New_output		2007-7-24 下午 05:4...	2007-7-24 下午 05:4
表	order_information		2007-7-24 下午 05:4...	2007-7-24 下午 05:4
表	output		2007-7-24 下午 05:4...	2007-7-24 下午 05:4
表	Paper_Input_History		2007-7-22 下午 02:0...	2007-7-22 下午 02:0
表	Paper_Load_History		2007-7-18 下午 12:0...	2007-7-4 上午 09:18
表	Reject_History		2007-7-18 下午 02:0...	2007-7-4 上午 11:03
表	Temp_InProcess_Data		2007-7-24 下午 05:4...	2007-7-24 下午 05:4
表	Temp_input_data		2007-7-24 下午 05:4...	2007-7-24 下午 05:4
表	Temp_output_data		2007-7-24 下午 05:4...	2007-7-24 下午 05:4
表	Temp_Paperload_data		2007-7-24 下午 05:4...	2007-7-24 下午 05:4
表	Year_Month		2007-7-22 下午 02:5...	2007-7-19 上午 09:3
表	Year_Week		2007-7-22 下午 02:5...	2007-7-19 上午 09:4

图2-1

红色线框所示为链接表,表中的数据可从SAP数据库导出;蓝色线框所示为历史数据表,每次更新完的历史数据都追加到这些表中,表中保存近三年的历史数据。

查询共有30个,包括6个生成表查询,5个追加查询,4个删除查询和15个选择查询,如图2-2所示

名称	说明	修改	创建
在设计视图中创建查询			
使用向导创建查询			
Append_InProcess_History		2007-7-22 下午 10:1...	2007-7-5 上午 10:02:14
Append_Input_History		2007-7-22 下午 04:2...	2007-7-5 上午 09:29:16
Append_output_hist		2007-7-22 下午 04:0...	2007-7-18 上午 09:0...
Append_PaperLoad_History		2007-7-22 下午 04:0...	2007-7-4 下午 11:44:58
Creat_CNF_Load		2007-7-24 上午 12:3...	2007-7-4 下午 11:33:52
Create_output_data		2007-7-24 上午 11:1...	2007-7-18 上午 08:5...
Create_Rej_Hist		2007-7-24 上午 12:3...	2007-7-18 下午 04:1...
Create_Temp_input		2007-7-24 上午 12:3...	2007-7-5 上午 09:19:08
Create_Temp_PaperLoad		2007-7-24 上午 12:3...	2007-7-17 下午 11:3...
Delete_CNF_entry		2007-7-22 下午 12:5...	2007-7-5 上午 10:03:48
Delete_Input_entry		2007-7-22 下午 02:2...	2007-7-5 上午 09:25:15
Delete_output_entry		2007-7-22 下午 01:0...	2007-7-18 上午 08:5...
Delete_PaperLoad_entry		2007-7-22 下午 01:0...	2007-7-4 下午 11:49:25
Import_new_all_order		2007-7-23 下午 11:4...	2007-7-4 下午 11:22:53
Import_New_output		2007-7-24 上午 11:2...	2007-7-18 上午 08:4...
InProcess_Load_Monthly		2007-7-18 下午 02:1...	2007-7-5 下午 03:05:25
InProcess_Monthly_Link		2007-7-18 下午 01:3...	2007-7-5 下午 03:03:32
Inprocess_rpt_overview		2007-7-18 下午 01:4...	2007-7-5 上午 11:20:27
Input_rpt_Monthly		2007-7-18 下午 02:1...	2007-7-5 下午 02:42:28

图2-2

现以生成表查询Impor\_new\_all\_order为例说明创建查询的思路和升级的方法，生成表查询Impor\_new\_all\_order的设计视图如图2-3所示




图2-3

订单号Order是唯一的,用字段Order来连接表all orders, CUST和 order\_information,获取目标数量(用于计算砂轮片数),Title(用于区分日本砂轮),UNIT\_WT(用于计算总重),DIA(用于尺寸分类). 将



## 三,软件操作流程(Procedures)

### 1.初始化(Initialization)

进入Windows 操作系统,将本数据库软件所在的文件夹“圣戈班上海”复制于桌面上.文件夹中包含数据库SG.mdb 和 五张Excel表: all orders.xls, CNF.xls, CUST.xls, order information.xls, output.xls. 如图3-1所示.




图3-1

打开SG.mdb, 选择【文件】/【获取外部数据】/【链接表】,如图3-2所示



图3-2  
弹出链接窗体,如图3-3所示




图3-3  
双击所选Excel表,弹出链接数据表向导,如图3-4所示



图3-4

单击下一步,弹出如图1-5所示窗体,更改链接表名称为文件夹“圣戈班上海”中Excel表中对应的链接表名称,更改完毕后,单击完成。



图3-5

另外四个链接表的初始化方法同上,按图3-2至3-5所示的方法链接即可。(注意:导入表的名称必须

和数据库中的已经存在的五个链接表的名称严格一致,包括大小写和空格符)

## 2.更新数据(Update data)

将从SAP中导出的数据表转换成Excel表的形式并存放于桌面上,五张表中需要的数据项(字段)必须与文件夹“圣戈班上海”中的Excel表中的数据项(字段)严格相等(包括大小写,下划线和空格符).即将图3-6所示的格式转变为图3-7所示的格式.

A	B	C	D	E	F	G	H
2007/07/23							
	订单	创建日期	类型	顺序编号	修改者	商品	目标数量
	1.02E+08	2007-7-9	ZP04	20070830	TUZ	6.63E+10	18
	1.02E+08	#####	ZP04	20070830	TUZ	6.63E+10	18
	1.02E+08	#####	ZP04	20070830	TUZ	6.63E+10	4
	1.02E+08	#####	ZP04	20070828	TUZ	6.63E+10	1
	1.02E+08	#####	ZP04	20070817	LVJ	6.63E+10	2
	1.02E+08	#####	ZP04	20070817	TUZ	6.63E+10	10
	1.02E+08	#####	ZP04	20070817	TUZ	6.63E+10	10
	1.02E+08	#####	ZP04	20070903	ZHANGJI	6.63E+10	2
	1.02E+08	#####	ZP04	20070903	ZHANGJI	6.63E+10	8
	1.02E+08	#####	ZP04	20070906	HOUY	6.63E+10	40
	1.02E+08	#####	ZP08	20070525	ZHANGJI	6.63E+10	3
	1.02E+08	#####	ZP04	20070711	TUZ	6.63E+10	1
	1.02E+08	#####	ZP04	20070905	ZHANGJI	6.63E+10	2
	1.02E+08	#####	ZP04	20070821	TUZ	6.63E+10	4
	1.02E+08	#####	ZP04	20070904	ZHANGJI	6.63E+10	2
	1.02E+08	#####	ZP04	20070807	TUZ	6.63E+10	100

图3-6

C	D	E	F	G	H
Created on	Material	Order	Order_Type	TargetQty	Material_Desc
2007-7-16	66253068221	102313430	ZP08	29	01_125.00x3.20x12.70_8C6T23A12020M48V34+
2007-7-9	66253068471	102293570	ZP04	18	01_914.00x100.00x355.60_1H10C365J7B24.
2007-7-12	66253068471	102302367	ZP04	18	01_914.00x100.00x355.60_1H10C365J7B24.
2007-7-12	66253068471	102302368	ZP04	4	01_914.00x100.00x355.60_1H10C365J7B24.
2007-7-9	66253068832	102289261	ZP04	1	01_750.00x75.00x305.00_8L10A801H8B24.
2007-7-11	66253068858	102298080	ZP04	1	01_915.00x35.50x304.80_7F10A5499L+48V12+
2007-7-17	66253072891	102314660	ZP04	2	01_1065.00x41.50x304.80_8C7P23A6020L48V+
2007-7-17	66253072892	102314661	ZP04	8	01_915.00x40.50x304.80_8C7P23A6020L48VH+
2007-6-27	66253073421	102262376	ZP08	3	01_230.00x5.00x31.75_1B1G21C8020K47V02.
2007-7-17	66253075137	102314567	ZP04	1	01_610.00x30.00x254.00_SGB8031L44VH.
2007-7-16	66253075361	102309269	ZP04	10	01_750.00x80.00x304.80_5D6T25A4620G6B24+
2007-7-17	66253076050	102314965	ZP04	4	01_1067.00x38.60x304.80_SGB4653L48VS.
2007-7-12	66253076106	102302342	ZP04	300	01_200.00x10.00x50.00_1H10C3201H9B24.
2007-7-13	66253078038	102305545	ZP04	30	01_750.00x80.00x304.80_8L10A601G7B24.
2007-7-16	66253078331	102310155	ZP04	1	01_1065.00x150.00x508.00_1H10C361H7B24.
2007-7-16	66253078337	102310065	ZP04	1	01_150.00x13.00x32.00_SGB6053K48VH.
2007-7-16	66253078340	102310066	ZP04	1	01_180.00x13.00x32.00_SGB12053K48VH.
2007-7-9	66253078935	102293838	ZP04	10	01_510x76x38.1_5B10A1699R5B302.
2007-7-15	66253080875	102308990	ZP08	13	01_180x6x31.75_8L7P23A32020K43VF.
2007-7-12	66253082013	102304952	ZP04	1	01_610.00x22.00x254.00_SGB15050L48VH.

图3-7

将五张Excel表的数据项更改完毕后,按照上述1.初始化 的方法分别导入五张链接表. 然后打开数据库SG.mdb, 如图3-8所示.

EXIT - 退出

**Shanghai Manufacturing Indicator Reports**  
上海圣戈班加工指示报告

User's Manual  
使用说明

2007年7月24日  
Week : 30

Reports 报表	Graphs 图表
Order Inputs 周报订单	Order Inputs 周报订单
Paper Load 未投订单	Paper Load 未投订单
In-Process Loads 在线订单	In-Process Loads 在线订单
Manufacturing OutPuts 产出	Manufacturing OutPuts 产出
Rejects 报废	Rejects 报废

Regular Update 数据更新

2007 七月 | 七月 | 2007

星期日	星期一	星期二	星期三	星期四	星期五	星期六
24	25	26	27	28	29	30
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	1	2	3	4

Double click today's date to import that data.  
双击今天的日期以更新数据

图3-8

选择更新时间,如图3-9所示.






图3-9

选择今天的日期, 双击日期更新数据;弹出窗体并单击【是(Y)】,如图3-10所示



图3-10

更新完毕后,在主窗体中.分别点击“周投订单”,“未投订单”,“在线订单”即可以得到所需报表,如图3-11所示

2007-30	V	1-加工	L	117	5,051	1
			M	1,389	8,649	1
			M-L	1,043	24,017	1
			S	25,200	33,358	1
			toolroom	39,159	21,856	1
			<b>Manu_Status Total : 按状态汇总:</b>			<b>66,908</b>
2007-30	V	2-窑炉	L	217	10,663	1
			M	2,286	12,658	1
			M-L	1,561	33,799	1
			S	29,346	43,191	1
			toolroom	41,713	22,561	1
			<b>Manu_Status Total : 按状态汇总:</b>			<b>75,123</b>
2007-30	V	3-成型	L	409	17,866	1
			M	4,664	28,183	1
			M-L	3,834	70,575	1
			S	50,569	66,975	1
			toolroom	84,582	43,161	1
			<b>Manu_Status Total : 按状态汇总:</b>			<b>144,058</b>

图

3-11

## 四,常见错误及解决方法(Error messages and problem resolution)

1.更新时弹出如图4-1所示窗口,更新后“周投订单”报表出错.




图4-1

出错原因: Excel表all orders.xls中缺少数据项(字段)“created on”

解决方法:从SAP中导出数据项(字段)“created on”,并添加到表all orders.xls中,然后重新导入链接表,再更新.

## 2.更新时弹出如图4-2所示窗口




图4-2




图4-3

出错原因: 转换字段时出错,即数据项(字段)名称不相同,如图4-3所示,“Material”误拼写为“Materail”。

解决方法: 更正出错字段,并重新导入链接表。

3.更新时弹出如图4-4所以窗口,单击确定后,弹出如图4-5所示窗口,显示“操作失败”

EXIT - 退出

2007年7月24日  
Week : 30

**Shanghai Manufacturing Indicator Reports**  
上海圣戈班加工指示报告

User's Manual  
使用说明

Regular

星期日	星期一	星期二	星期三	星期四	星期五	星期六
24	25	26	27	28	29	30
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	1	2	3	4

Double click today's date to import that data.  
双击今天的日期以更新数据

图4-4



图4-5

出错原因: 更改数据项(字段)时, 字段前有空格符, 如图4-6所示




图4-6

解决方法: 去除空格符, 重新链接数据表. 然后再更新数据, 如图4-7所示

C	D	E	F	G	H
Created on	Material	Order	Order_Type	TargetQty	基本完成
2007-7-16	66253068221	102313430	ZP08	29	2007-8-8
2007-7-9	66253068471	102293570	ZP04	18	2007-8-28
2007-7-12	66253068471	102302367	ZP04	18	2007-8-28
2007-7-12	66253068471	102302368	ZP04	4	2007-8-28
2007-7-9	66253068832	102289261	ZP04	1	2007-8-3
2007-7-11	66253068858	102298080	ZP04	1	2007-8-27
2007-7-17	66253072891	102314660	ZP04	2	2007-8-30
2007-7-17	66253072892	102314661	ZP04	8	2007-8-30
2007-6-27	66253073421	102262376	ZP08	3	2007-7-31
2007-7-17	66253075137	102314567	ZP04	1	2007-9-3
2007-7-16	66253075361	102309269	ZP04	10	2007-8-9
2007-7-17	66253076050	102314965	ZP04	4	2007-8-28
2007-7-12	66253076106	102302342	ZP04	300	2007-8-6
2007-7-13	66253078038	102305545	ZP04	30	2007-8-8
2007-7-16	66253078331	102310155	ZP04	1	2007-8-16
2007-7-16	66253078337	102310065	ZP04	1	2007-8-15
2007-7-16	66253078340	102310066	ZP04	1	2007-8-15
2007-7-9	66253078935	102293838	ZP04	10	2007-8-23

图4-7

## Bibliography

- "Compagnie De Saint-Gobain Company Profile - Yahoo! Finance." [cited 2007]. Available from <http://biz.yahoo.com/ic/40/40729.html>.
- "History of the Saint-Gobain Group." [cited 2007]. Available from <http://www.saint-gobain.com/en/html/groupe/historique.asp>.
- "Saint-Gobain - Press Download Center: Financial Reports, Annual Reports, Quarterly Reports." [cited 2007]. Available from [http://www.saint-gobain.de/en/presse/download\\_center/finanzberichte.html?pe\\_id=38](http://www.saint-gobain.de/en/presse/download_center/finanzberichte.html?pe_id=38).
- "Saint-Gobain Abrasives (Shanghai) Co., Ltd." [cited 2007]. Available from [http://www.saint-gobain.com.cn/html/companypages/Abrasives\\_SH.htm](http://www.saint-gobain.com.cn/html/companypages/Abrasives_SH.htm).
- "Saint-Gobain Abrasives Shanghai - Home." [cited 2007]. Available from <http://abrasives.saint-gobain.com.cn/>.
- "Saint-Gobain Business Sectors." [cited 2007]. Available from <http://www.saint-gobain.com/en/html/groupe/metiers.asp>.
- "Saint-Gobain China - Jobs." [cited 2007]. Available from [http://www.saint-gobain.com.cn/html/jobs/trainees\\_abrasives.htm](http://www.saint-gobain.com.cn/html/jobs/trainees_abrasives.htm).
- Gupta, Mahesh, and Amarpreet Kohli. "Enterprise Resource Planning Systems and its Implications for Operations Function." *Technovation* 26, no. 5-6 (2006/0): 687-696.
- Heywood, Johnson, and Grinding Wheel Manufacturers Association. *Grinding Wheels and their Uses; a Handbook and Textbook on Modern Grinding Practice and Theory*. 2d .. ed. Cleveland, O.: The Penton Publishing Co., 1942. 43001119; (CaOTULAS)150749108; ocm00563221 820217.
- Hong, Kyung-Kwon, and Young-Gul Kim. "The Critical Success Factors for ERP Implementation: An Organizational Fit Perspective." *Information & Management* 40, no. 1 (2002/10): 25-40.
- Kalpakjian, Serope. *Manufacturing Engineering and Technology*. Reprint with corrections, November 1989 ed. Reading, Mass.: Addison-Wesley, 1989. 88024219; ocm18379052.
- Krar, Stephen F. *Grinding Technology*. 2nd ed. Albany: Delmar Publishers, 1995. 94002612; (OCoLC)ocm29668542; (OCoLC)29668542; 263946.
- Regan, Michael D. *The Kaizen Revolution : How to use Kaizen Events to Double Your Profits*. Raleigh, N.C.: Holden Press, 2000. (OCoLC)ocm45009569.



Salmon, Stuart C. *Modern Grinding Process Technology*. New York: McGraw-Hill, 1992. 91045421; ocm25026549.

Schumann, Andreas. "SAP-R/3 in Process Industries: Expectations, Experiences and Outlooks." *ISA Transactions* 36, no. 3 (1997): 161-166.

Somers, Toni M., and Klara G. Nelson. "The Impact of Strategy and Integration Mechanisms on Enterprise System Value: Empirical Evidence from Manufacturing Firms." *European Journal of Operational Research* 146, no. 2 (2003/4/16): 315-338.

Zhang, Zhe, Matthew K. O. Lee, Pei Huang, Liang Zhang, and Xiaoyuan Huang. "A Framework of ERP Systems Implementation Success in China: An Empirical Study." *International Journal of Production Economics* 98, no. 1 (10/18 2005): 56-80.