







B




A

2


1

B

A



1:1 SCALE
ISOMETRIC VIEW



UNLESS OTHERWISE SPECIFIED:

DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL $\pm 1/200$
TWO PLACE DECIMAL $\pm .005$
THREE PLACE DECIMAL $\pm .001$

MATERIAL:

6061 ALUMINUM

TITLE:

LONG TRACTION
BAR

SIZE

A

DWG. NO.

001

REV

1


SCALE: 2:1

WEIGHT:


SHEET 3 OF 8

2


1




UNLESS OTHERWISE SPECIFIED:		TITLE:		
DIMENSIONS ARE IN INCHES		SHORT TRACTION BAR		
TOLERANCES:				
FRACTIONAL ± 1/200				
TWO PLACE DECIMAL ±.005				
THREE PLACE DECIMAL ±.001				
MATERIAL:		SIZE	DWG. NO.	REV
6061 ALUMINUM		A	001	1
		SCALE: 2:1	WEIGHT:	SHEET 4 OF 8



UNLESS OTHERWISE SPECIFIED:		TITLE:	
DIMENSIONS ARE IN INCHES		MOVEMENT BAR	
TOLERANCES:			
FRACTIONAL $\pm 1/200$			
TWO PLACE DECIMAL $\pm .005$			
THREE PLACE DECIMAL $\pm .001$			
MATERIAL:		SIZE	REV
6061 ALUMINUM		A	1
		DWG. NO.	001
		SCALE: 1:1	WEIGHT: SHEET 5 OF 8



UNLESS OTHERWISE SPECIFIED:		TITLE:		
DIMENSIONS ARE IN INCHES		COVER PLATE		
TOLERANCES:				
FRACTIONAL ±1/200				
TWO PLACE DECIMAL ±.005				
THREE PLACE DECIMAL ±.001				
MATERIAL:		SIZE	DWG. NO.	REV
6061 ALUMINUM		A	001	1
		SCALE: 1:1	WEIGHT:	SHEET 6 OF 8



UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL $\pm 1/200$ TWO PLACE DECIMAL $\pm .005$ THREE PLACE DECIMAL $\pm .001$		TITLE: ACTUATION LEVER	
		SIZE A	DWG. NO. 001
MATERIAL: 6061 ALUMINUM		REV 1	SHEET 7 OF 8
SCALE: 2:1		WEIGHT:	

2

1

ITEM NO.	QTY	PART NAME	MATERIAL	SUPPLIER	SUPPLIER PART NUMBER	DISTRIBUTOR
5	9	BIKE CHAIN LINK	NICKEL PLATED STAINLESS STEEL	KMC	KMC Z410	AMAZON.COM
9	3	HEX CUP SET SCREW #6-32 X 5/8	BLACK OXIDE ALLOY STEEL	MCMaster-CARR	91375A150	MCMaster.COM
11	1	1/16 X 5/16 DOWEL PIN	316 STAINLESS STEEL	MCMaster-CARR	97395A403	MCMaster.COM
12	1	7/32 DIA X 3/16 DOWEL PIN	316 STAINLESS STEEL	MCMaster-CARR	97395A641	MCMaster.COM
13	11	1/4" TRACK SPIKE	STEEL	ECOSPIKES	X000ZQZTFL	AMAZZON.COM
14	7	HEX CAP SCREW #2-56 X 5/16	BLACK OXIDE ALLOY STEEL	MCMaster-CARR	91864A005	MCMaster.COM
15	3	HEX CUP SET SCREW #6-32 X 3/8	BLACK OXIDE ALLOY STEEL	MCMaster-CARR	91375A146	MCMaster.COM
16	5	HEX CUP SET SCREW #6-32 X 1/2	BLACK OXIDE ALLOY STEEL	MCMaster-CARR	91375A148	MCMaster.COM
17	1	HEX CUP SET SCREW #6-32 X 7/8	BLACK OXIDE ALLOY STEEL	MCMaster-CARR	91375A152	MCMaster.COM

LOW FRICTION STRIPS
MATERIALS: NYLON, TEFLON, ULTRA HIGH DENSITY POLYMER
FORMS: STRIPS, COATINGS, OR SINGLE SIDE ADHESIVE TAPE

NARROW STRIP: CUT TWO STRIPS TO .125X2.125

WIDE STRIP: CUT TWO STRIPS TO .25X2.125

UNLESS OTHERWISE SPECIFIED:

DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL $\pm 1/200$
TWO PLACE DECIMAL $\pm .005$
THREE PLACE DECIMAL $\pm .001$

TITLE:

STOCK PARTS

SIZE

A

DWG. NO.

001

REV

1

SCALE: 2:1

WEIGHT:

SHEET 8 OF 8

2

1